

**UNITED NATIONS ENVIRONMENT PROGRAMME
GLOBAL ENVIRONMENT FACILITY
PROJECT DOCUMENT
SECTION 1 - PROJECT IDENTIFICATION**

- 1.1 Sub-Programme Title:** Biodiversity OP 13: Agriculture
- 1.2 Project Title:** Conservation and Use of Crop Genetic Diversity to Control Pests and Diseases in Support of Sustainable Agriculture - Phase I
- 1.3 Project Number:** IMIS: GFL / 2328 – 2715 - xxxx
PMS: GF/ 1030 – 07 - xx
- 1.4 Geographical Scope:** Global
- 1.5 Implementation:** International Plant Genetic Resources Institute (IPGRI)
Via dei Tre Denari, 472/a
00057 Maccarese, Rome, Italy
Tel: 39 066118414
Fax: 39 06 61979661
- National Executing Agencies:
China: Yunnan Agricultural University, Kunming, Yunnan
Ecuador: Instituto Nacional Autónomo de Investigaciones Agropecuarias (INIAP), Quito
Morocco: Institut Agronomique et Vétérinaire (IAV) Hassan II, Rabat
Uganda: National Agricultural Research Organisation, Entebbe
- 1.6 Duration of the Project:** 36 months
Commencing: April 2007
Completion: March 2010
- 1.7 Cost of the Project (US\$):**

Donor	Project Stage/Phase	Cash (US\$)	In-kind (US\$)	Total
GEF	Phase I	3,411,148	0	3,411,148
	PDF A	0	0	
	PDF B	350,000	0	350,000
<i>Sub-total</i>		3,761,148	0	3,761,148
IPGRI	Phase I	240,667	576,000	816,667
	PDF B	25,000	90,000	115,000
SDCP	Phase I	750,000	0	750,000
Others	Phase I		492,474	492,474
	PDF B		120,000	120,000
China	Phase I	530,108	642,263	1,172,371
Ecuador	Phase I	18,053	293,454	311,507
Morocco	Phase I	60,606	398,336	458,942
Uganda	Phase I	12,334	260,049	272,383
Total		5,397,916	2,872,576	8,270,492
Total without PDF costs		5,022,916	2,662,576	7,685,492

1.8 Project Summary:

The outcome of the project will be that resource-poor rural populations will benefit from reduced crop vulnerability to pest and disease attacks through increased use of genetic diversity on-farm. By providing farmers and NARS researchers with the tools and practices needed to manage local crop (intra-specific) genetic diversity, farmers' options to combat pest and disease on-farm will be expanded, food security will be increased, genetic diversity conserved, and ecosystem health improved. The project will develop tools to determine when and where intra-specific crop diversity can be used to manage pest and disease pressures by integrating existing farmer knowledge, belief and practices with advances in the analysis of crop-pest/disease interactions. Unlike Integrated Pest Management (IPM) strategies, which have focused on using agronomic management techniques to modify environment around predominantly modern cultivars, this project is unique in that it concentrates on the management of the local crop cultivars themselves as the key resource, making use of the intra-specific diversity among cultivars maintained by farmers.

Signatures

For IPGRI,

For UNEP

Emile Frison
Director General

David G. Hastie, Chief
Budget and Financial
Service, UNON.

Date: _____

Date: _____

LIST OF ACRONYMS AND ABBREVIATIONS

BARNESA	Banana Research Network for East and Southeast Africa
CAN	Andean Community of Nations
CBD	Convention on Biological Diversity
CBO	Community Biodiversity Organization
CIMMYT	International Maize and Wheat Improvement Centre
CITES	Convention on International Trade in Endangered of Wild Fauna and Flora
CSIRO	Commonwealth Scientific and Industrial Research organization
EAPGREN	Eastern Africa Plant Genetic Resources Network
ECOSALUD	Refers to focus on ecosystem and their impact of human health
EU	European Union
FAO	Food and Agriculture Organization of the United Nations
FFS	Farmers Field School
FGD	Focus Group Discussion
GEF	Global Environment Facility
GIAHS	Globally Important Ingenious Agricultural Heritage Systems
GINC	Global Information Network on Chemicals
GM	Genetically Modified
GPA	Global Plan of Action
GTZ	Deutsche Gesellschaft für Technische Zusammenarbeit
IFPRI	International Food Policy Research Institute
INIAP	Instituto Nacional Autónomo de Investigaciones Agropecuarias
IPGRI	International Plant Genetic Resources Institute
IPM	Integrated Pest Management
IPPC	International Plant Protection Convention
IRRI	International Rice Research Institute
ISC	International Steering Committee
IUCN	World Conservation Union
IVA	Institut Agronomique et Vétérinaire
NARI	National Agriculture Research Institute
NARO	National Agricultural Research Organisation
NARS	National Agriculture Research System
NBSAP	National Biodiversity Strategy and Action Plan
NGO	Non-Governmental Organization
NRCAB	National Research Center for Agriculture Biodiversity
NSC	National Steering Committee
PAN	Pesticide Action Network
PGR	Plant Genetic Resources
PIC	Prior Informed Consent
PMU	Project Management Unit
SDC	Swiss Agency for Development and Cooperation
SANREM CRSP	Sustainable Agriculture and Natural Resource Management Collaborative Research Support Programme
UNDP	United Nations Development Programme
UNEP	United Nations Environment Programme
UPWARD	Users' Perspectives With Agricultural Research and Development
WSU	Washington State University
YAU	Yunnan Agricultural University

TABLE OF CONTENTS: PROJECT DESCRIPTION

SECTION 1 - PROJECT IDENTIFICATION.....	1
SECTION 2 - BACKGROUND AND PROJECT CONTRIBUTION TO OVERALL SUB-PROGRAMME IMPLEMENTATION.....	2
BACKGROUND AND CONTEXT (BASELINE COURSE OF ACTION)	4
THREATS AND BARRIERS	7
BASELINE AND SYSTEM BOUNDARIES	8
PROGRAMMING CONTEXT: NATIONAL AND INTERNATIONAL POLICY AND ACTION.....	10
RATIONALE AND OBJECTIVES (ALTERNATIVE).....	15
PROJECT ACTIVITIES/COMPONENTS AND EXPECTED RESULTS.....	18
CRITERIA AND TOOLS.....	18
PRACTICE AND PROCEDURES	21
ENHANCED CAPACITY AND LEADERSHIP	22
MAINSTREAMING AND REPLICATION	24
RISKS AND SUSTAINABILITY	26
STAKEHOLDER PARTICIPATION AND IMPLEMENTATION ARRANGEMENTS.....	27
INCREMENTAL COSTS AND PROJECT FINANCING	30
INCREMENTAL COST ANALYSIS	30
MONITORING, EVALUATION AND DISSEMINATION.....	34
SECTION 3 - WORKPLAN AND TIMETABLE, BUDGET, FOLLOW-UP.....	35
SECTION 4 - INSTITUTIONAL FRAMEWORK AND EVALUATION.....	36
SECTION 5 - MONITORING AND REPORTING.....	38

LIST OF ANNEXES

PROJECT EXECUTIVE SUMMARY, GEF COUNCIL SUBMISSION

Annex A	Incremental Cost
Annex B	Logical Framework
Annex B1:	Phase I - Objectively Verifiable Indicators and Milestones (Years 1, 2 and 3 of project implementation)
Annex C	STAP Roster Technical Review
Annex C1	Response to STAP review
Annex D	Letters of endorsement
Annex D1	Co-financing letters
Annex E	Public Involvement Plans
Annex F	Analysis of Existing Legislation and Policy
Annex G	Draft Protocols for Participatory Diagnosis of (i) Farmers' Beliefs and Practices and (ii) Field and Laboratory Assessment
Annex H	Criteria for Crop, Pest, Pathogen, and Site selection
Annex I	Project Crops, Pests and Diseases Site Description and Maps and Related National Publications
Annex J	Related National, Regional and International Projects and Initiatives
Annex K	National and International Roster of Experts
Annex L	Synthesis of General Information on Target Host/Pest/Pathogen Systems
Annex M	Review of Issues on Managing Crop Diseases in Traditional Agroecosystems Using Crop Genetic Diversity

Annex N	Global, Regional and National IPM Initiatives and Strategies
Annex O	Training and Capacity Building Strategy
Annex P	Monitoring, Progress Reporting, and Evaluation Plan
Annex Q	Tracking Tools for GEF Biodiversity Focal Area strategic Priority Two
Annex R	Workplan
Annex S	Half-Yearly Progress Report Format
Annex T	Format for Cash Advance Request
Annex U	Format for Quarterly Expenditure Statement
Annex V	Format for Terminal Report
Annex W	Format for Non-Expendable Equipment
Annex X	Format for Report on Co-Financing (separate excel sheet)
Annex Y	Budget in UNEP Format (separate excel sheet)
Annex Z	Terms of reference – project personnel

SECTION 2 - BACKGROUND AND PROJECT CONTRIBUTION TO OVERALL SUB-PROGRAMME IMPLEMENTATION

B. PROJECT DESCRIPTION

BACKGROUND AND CONTEXT (BASELINE COURSE OF ACTION)

1. In a period of less than a hundred years, the number of food crops that are cultivated today has dropped from an estimated 7000 species to 150. Crop diversity, both between (inter) and within (intra) species has given way to uni-variety cropping and to large scale, genetically homogenous, cropping for industrial purposes. As a result the genetic base has narrowed considerably.

2. The potential negative consequences of planting large areas to single uniform crop cultivars were recognised as early as the 1930s by agricultural scientists. When farmers sow cultivated varieties with uniform resistance to a pest or disease, the crops can become susceptible to attack by pathogens able to overcome the resistance and epidemics can result. The Irish potato famine is one of the most dramatic examples of genetic uniformity leading to devastating loss of the crop. Susceptibility of five major commercial cultivars of banana to the fungal disease black sigatoka resulted in Central America countries losing nearly 47% of their banana yield. Rice blast epidemics in Korea in the 1970s caused 30-40% yield losses.

3. Up to 30% of the world's annual harvest continues to be lost to pest and diseases, with developing countries experiencing the greatest devastation. The resulting economic and food resource costs are, to a significant extent, a consequence of the continuing evolution of new races of pests and pathogens that are able to overcome resistance genes introduced by modern breeding creating the phenomenon of boom and bust cycles. Breeding programs are in place to develop new varieties and to replace varieties that have lost their resistance. However, the maintenance cost of the current system is high. The International Center for Wheat and Maize (CIMMYT), based in Mexico, reportedly spent 35% of its budget in 1989 on 'maintenance research'. The inherent instability and thus risk for farmers and industry lead to a reliance on various generations of pesticides and more recently genetically modified (GM) crops.

4. Small-scale farmers in developing countries depend on genetic diversity to maintain sustainable production and meet their livelihood needs. Loss of genetic choices, reflected as loss of local crops or cultivars, diminishes farmers' capacities to cope with changes in pest and disease infestations, and leads to yield instability and loss.

5. Local cultivars are a primary source for the new resistant germplasm, providing about 39% of the resistant germplasm used in the breeding programmes of major crops such as maize and barley. Most if not all known resistance to arthropod pests and pathogens in crops are derived from accessions collected from farmers who traditionally grew them in genetically diverse systems. Even so, the development of new cultivars grown as monocultures continues to be central to modern agriculture. Most breeding programs use single genes to provide resistance across many types of environments. In single variety strategies, resistance to only few diseases can be incorporated leaving the crop susceptible to other diseases.

6. Genetic resistance continues to be part of the disease management strategy in traditional, genetically diverse systems. Maximum numbers of genes for disease resistance have been found in landraces in areas where host and pathogen had coevolved for a long period of time. In effect, *ex situ* seed collections of farmer landraces and varieties with landrace parentage are the source of virtually all genetic resistance in modern varieties.

7. In many regions of the world, farmers have local preferences for growing mixtures of cultivars, which they understand to provide resistance to local pests and diseases, and to enhance yield stability. However, the extent to which this is done and its effectiveness are not known. What is known is that farmers apply a variety of agronomic techniques, such as crop rotation and timed planting. Farmers also use high-yielding modern cultivars, shown to be resistant to pests and diseases, and pesticides. Integrated pest management (IPM) strategies, which have focused on using agronomic management techniques to modify environment around predominantly modern cultivars, have excluded the potential of using within-crop diversity, for example, through variety mixtures, multilines or the planned deployment of different varieties in the same production environment to minimize pest and disease pressures on-farm.

8. The main purpose of genetic mixtures (crop variety mixtures) for pest and disease management is to slow down pest and pathogen spread. The basic principle that enables varietal mixtures to reduce the severity of disease was stated by Wolfe in 1985: “*Host mixtures may restrict the spread of disease considerably relative to the mean of their components, provided the components differ in their susceptibility.*” This is considered to be the mixture effect.

9. A diverse genetic basis of resistance is beneficial for the farmer because it allows a more stable management of pest and disease pressure, than a monoculture allows. This is because when resistance in a monoculture breaks down the whole population succumbs, while in a genetically diverse field it is much less likely that different types of resistance will all break down in the same place for comparable pest or disease damage. The effectiveness of a given mixture to do so depends not only on the resistance available, but also on the nature and speed of the life cycles of the pathogens as well as their means of spread. Mixtures serve to decrease the spatial density of susceptible plants, provide a barrier effect by resistant plants that fill the space between susceptible components, and induced resistance by non-pathogenic spores such that normally pathogenic spores that land in the same area are prevented from infecting or are limited in their productivity.

10. Although the general mechanisms that contribute to the ‘mixture effect’ are now fairly well understood, there is inadequate information on the biological mechanisms that function in complex farmer (not simple researcher) managed intra-specific genetic diversity systems. Few studies are available to shed light on how farmers manage diverse genes in plant populations either to manage single constraints, or as complexes of pests and diseases. Surprisingly, few in depth studies are available on cultural methods that aid the use and longevity of genes. Local preferences exist for growing mixtures in part, because they provide resistance to local pests and diseases and enhance yield stability.

11. As people move around the globe with genetic resources, so does resistant and virulent germplasm. Resistance genes evolve in response to new pathogens and pest, as well as there being remnants of resistance from old diseases in other regions. This phenomenon has resulted in the occurrence of resistance outside the primary centre of diversity, such as the development of resistance to chocolate spot in faba bean (*Vicia faba*) in the South American Andes although the crops primary centre of diversity is the Fertile Crescent. This phenomenon creates the potential to find resistance diversity in countries of secondary centres of diversity not found in the primary diversity centres.

12. The six project target crops, rice (*Oryza sativa*), maize (*Zea mays*), barley (*Hordeum vulgare*), common bean (*Phaseolus vulgaris*), faba bean (*Vicia faba*), banana and plantain (*Musa* spp.), are major nutritional staples for large segments of the developing world and their yield stabilities are important factors in food security. The crops represent different breeding systems (cross-pollinated, partially outcrossing, self-pollinated, clonal), as differences between varieties would be expected to be less prominent in cross-pollinated crops than in self-pollinated ones. Banana and plantain, as a result of their sterility, have followed a clonal crop improvement strategy, with farmers doing most of the selection breeding. In addition, the life cycles of major pest and disease that affect these crops are well studied. Criteria for crop selection is listed in Annex H.

13. The four countries participating in this initiative, China, Ecuador, Morocco and Uganda, all contain areas of important crop genetic diversity for these crops, including different types of resistance to major pests and pathogens in their local crop cultivars maintained in traditional farming systems. Each of the four countries has at least two of their target crops in common with one of the other countries, linking diversity of primary centres of diversity to secondary centres of diversity.

14. Rice is the staple food for half the world population. Southwestern China along with Nepal, Bhutan, Assam, Myanmar, Laos and northern Thailand lies in the center of diversity and domestication of Asian cultivated rice (*Oryza sativa* L.). Rice blast is the most widespread and severe disease of rice. Host resistance in monocultures remains effective for only a few seasons. The development of severe epidemics on a regional scale is attributed to reliance on few high yielding varieties. In China, rice blast has caused losses of 91, 96 and 98% of total disease loss in 1974, 1978 and 1990, respectively. Fungicides are used extensively. Other major diseases like bacterial blight and tungro virus are also important and have caused epidemics in the 1980s in Asia.

15. Maize (*Zea mays* L.) along with rice and wheat is one of the three most important cereals in the world. Maize is grown throughout the temperate, subtropical and tropical environments, from highly favorable irrigated to highly variable rainfed mountain environments. It is believed to have been domesticated in Central America, Mexico/Guatemala from wild relatives that are still found in the region. It is probably the single most important new world crop and has contributed substantially to enable population growth in the rest of the world. The principal diseases of maize are a complex of what used to be called Helminthosporium Leaf blights; Southern Blight (*Helminthosporium maydis* (Syn. *Bipolaris maydis* (Nisik.) Schoemaker, *Drechslera maydis* (Nisk.) Subram. and Jain.) is one of the most important of these. The disease occurs worldwide. The fungus is responsible for causing the Southern blight epidemic on hybrid maize in the USA in the early seventies, causing severe financial losses. Maize has many arthropod pests. One of the principal pests of maize is stem borer. It is a major arthropod pest of maize contributing to substantial yield loss.

16. Barley (*Hordeum vulgare*) is the fifth largest cultivated cereal crop in the world. It is grown as landraces in marginal, low-input, drought-stressed environments both for grain and straw. The crop domestication is believed to be the Fertile Crescent and Morocco. In China, Yunnan Province is the genetic diversity centre for barley. One of the major diseases of barley is powdery mildew, caused by the fungus *Erysiphe graminis* DC. f. sp. *hordei* Em Marchal (synamorph *Blumeria graminis* (DC.) Golovin ex Speer f. sp. *hordei*). It is a serious foliar disease that affects the crop in many major production regions around the world and it is of great economic importance. The primary loss from powdery mildew is reduced yield, which can reach up to 20% for Europe and up to 30% for North Africa, although average losses are smaller and about 10%. Powdery mildew on barley is considered as one of the most clearly characterized systems of host-pathogen genetic interactions.

17. Common bean (*Phaseolus vulgaris* L.) is one of the world's most important grain legumes. It is endemic to Latin America forming three centers of domestication (Mesoamerica, the Andean highlands, and Chile). The crop is a historic and important protein source and a component in local diet, especially for the poor. The crop is an integral part of the sustainability in traditional cropping systems of the highland areas of the Andes and Central America. Ecuador is in the Andean center of diversity of common bean. Varietal mixtures are common in the climbing type. Beans are often grown intercropped in non industrialized small holder systems due to better and more secure yields in lower input systems. The East African highlands have become a secondary center of diversity for common bean. In Uganda with some of the highest population densities in the world the crop is the most important protein source of people and provides 25% of the carbohydrates.

18. Faba Bean (*Vicia faba*) is an important old world food legume along with chickpea, peas and lentils. A near eastern center of origin has been postulated with four radii (1) to Europe (2) along the north African coast to Spain, (3) along the Nile to Ethiopia, and (4) from mesopotamia to China. Faba bean hosts many pathogens. Arthropod pests cause extensive damage in the field and during storage. The major diseases are Anthracnose (*Ascochyta fabae*) and chocolate spot (*Botrytis fabae*) which causes considerable damage. Moroccan faba bean populations have been used as sources for resistance to chocolate spot (*Botrytis*), with highly significant differences in resistance among local populations. China and Ecuador are secondary centers of diversity of the crop.

19. Bananas are one of the most important food crops in third world countries and are the staple food for millions of people. Eighty-seven percent of global production is produced by small scale farmers and consumed locally. Uganda is the leading consumer of bananas in the world particularly in the form of cooking types. The crop occupies 30-40% of all land under crops and produces more than 10 million tons of product. Uganda and the Great Lakes region of Africa is regarded as a secondary centre of diversity of *Musa spp.* The genetic uniformity and the inability to create new varieties makes the banana the most disease-vulnerable and therefore most heavily sprayed food crop in the world. Ecuador holds the top fourth position with respect to pesticide consumption due to high spray on bananas among other crops. The major biological constraints of banana in Uganda are Banana weevils, nematodes, black sigatoka, *Fusarium* wilt, streak virus, bacterial wilt. *Fusarium* wilt, otherwise known as Panama disease, is regarded as a major threat to commercial banana production. *Fusarium* is a soil borne pathogen infects the root and vascular systems of plants. Banana weevils also cause severe damage resulting in slower maturity and crop losses up to 60%. Farmers perceived banana weevils to be a major constraint and often attribute the visible damages caused by these diseases mentioned as well as nematodes.

THREATS AND BARRIERS

20. Local genetic diversity is increasingly under threat from national and international pressures to produce genetically homogenous, cropping for industrial purposes. An industrial global market is now cementing legal systems to protect intellectual property rights of the developers of the industrial germplasm. Local genetic diversity has been put further at risk to new and exotic pests and pathogens through increased trans-boundary movements of living organisms brought about from globalization of trade, and this is being exacerbated by climate change. No relevant genes may be available in local gene pools to provide protection to these new threats and lead to increased vulnerability of these genetically diverse systems.

21. Large areas are still planted to popular resistant cultivars, which facilitates rapid pathogen evolution and migration to overcome resistance, leading to the so-called “Boom and Bust” phenomenon in agriculture. This has caused the loss of local cultivars with different resistance properties and mechanisms, and ultimately, loss of genetic diversity in production systems.

22. Breeding programs rely heavily on *ex-situ* collection for new genes. Yet *ex situ* collections are snapshots frozen in time, away from the dynamic evolution of the crop and coevolution of pathogens. Farmer who maintain diversity are the custodians of relevant genes for pest and pathogen populations of the future, and less so the keepers of *ex situ* collections of seed that no longer is coevolving. Without the maintenance of viable economic systems that promote the maintenance and continuing evolution of a broad dynamic genetic pool, sustainability of not only ‘traditional agriculture’ but also industrial agriculture is at risk.

23. Pesticides consumption is increasing all over the world, leading to serious harmful impact on human and environmental health, including the associated crop biodiversity. China is one of the countries with largest amount of pesticide application in the world. The annual demand of pesticide active

ingredients in China is up to 1 million tons and the annual spraying is 100 million tons in recent years. Ecuador holds the top fourth position with respect to pesticide consumption and imports high quantity of pesticides. The pesticide poisoning in Ecuador ranks as some of the highest in the world. An excessive pesticide application to control pest and diseases in potato have seriously affected natural enemies and appears to be the main reason for the high incidence of leaf miner in Ecuador.

24. Combating epidemics once they occur is costly to society both in terms of garnering the resources necessary to control them and compensating for the yield losses incurred. For developing countries and resource-poor farmers, compensation, in the form of crop insurance, is not economically viable. Pesticides are prohibitively expensive for poor farmers, and damage human health and ecosystem stability.

25. With financial resources for public sector research as a whole decreasing, and low levels of awareness of the potential contribution of intra-specific diversity to minimize pest and disease pressures on-farm, little public investment is made in understanding the potential of local crop diversity still existing in farmers' fields. The current number of trained personnel able to take part in and lead the development of activities to support the conservation and use of local crop diversity to minimize pest and disease pressures on farm is also not sufficient.

26. Action that support and promote conservation of crop diversity on-farm is hampered due to lack of information regarding the value of these resources to manage biotic stress. Lack of coordination between agricultural developmental and environmental protection agencies, and to inadequate communication between local scientific and national level organizations and between governmental and non-governmental agencies has exacerbated the problem. Insufficient recognition of the communities who maintain crop germplasm *in situ* has led to the absence of systems for supporting such communities. Government agricultural policies often operate to discriminate against the maintainers of local cultivars, and benefit sharing protocols with local communities are limited.

BASELINE AND SYSTEM BOUNDARIES

27. Selected crops are the major food staples, and the basis for food security, for a high percentage of low income farmers. Each country contains areas of important crop genetic diversity, significant for the management of disease pressures, traditional farming communities that maintain the diversity, a national-level commitment to conserve crop resources and existing multi-stakeholder efforts upon which the project can build.

28. Evidence of high levels of intra-specific diversity in target crops has been documented in each of the four countries through genebank collections and earlier on farm projects (Annex I). Maize and bean landraces cover 90 percent of the Ecuador highlands. Landraces still cover a significant percentage of land area in remote indigenous areas in the southwestern provinces of China. Evidence of high levels of barley diversity come from on-farm surveys in Morocco, and accessions collected in southwestern China. On-farm studies in Uganda have shown that over 80 locally evolved highland banana cultivars still exist on-farm, and that commonly up to 22 cultivars can be found on any given farm.

29. Earlier on-farm conservation projects, both within and outside of project countries, have developed protocols that work with farmers, using participatory methods, to estimate the number of, and area covered by, different crop cultivars. These protocols include crop specific approaches to determine how consistent are the names and traits farmers use to distinguish their varieties with genetically identifiable units. These methods have been used to quantify the amount of genetic diversity maintained on-farm in Morocco for barley and faba bean, in Mexico for maize and common beans, in Nepal for rice

and in Uganda for banana and plantain. However, these protocols have not been adapted to or applied to quantifying amounts of diversity in respect to resistance found on-farm

30. Evidence from all four countries indicates that local crop diversity in respect to pest and disease resistance exists for the target crops within each country. Local germplasm available in national *ex situ* collections continues to contribute to resistance breeding programmes in all four countries. Earlier screening of local varieties of target crops from *ex situ* collections for some of the project-targeted pests and diseases show in country resistance. In China, a total of 137 rice varieties were screened from genebank samples collected from different rice ecological regions in Yunnan Province. These included traditional and hybrid varieties, Indica and Japonica types, glutinous and non-glutinous ones and upland rice varieties. The diversity of these rice varieties in Yunnan Province was analysed and partners looked for DNA markers related to rice blast disease resistance, to provide a molecular basis for rice disease resistance breeding and efficient utilization of local rice varieties. In Ecuador high levels of resistance for maize, especially to foliar diseases, have been found. In Morocco, local faba bean populations were screened for chocolate spot (*Botrytis*) with high levels of resistance found in some local populations on-farm. In Uganda, resistance to *Fusarium* wilt and banana weevil has been found in local plantain populations.

31. The host-pest/pathogen systems selected are those which have well characterized cycles in the literature (Annex L). Pests/pathogens were selected to include coverage of different resistance gene systems (i.e. coverage of systems where resistance is controlled by both major and minor genes), transmission systems (seed-borne, soil-borne and air-borne diseases), and plant organ affected (e.g. leaf, stem, seeds, tubers, roots). The host-pest/pathogen systems selected will serve as important models for ease of replication and diffusion of project methodologies to areas outside the project's geographic scope. Criteria for selecting host-pest or host-pathogen systems, and for selecting project sites, are described in Annex H. Host-pest/pathogen systems and project sites are described in Annex I.

32. The four countries bring different expertise in developing practices and procedures to optimally use crop genetic diversity to minimize pest and disease damage. Partners from China have a wide experience in the use of varietal mixtures based on comprehensive analyses of the resistance background, agronomic character, economic value, local cultivation conditions and the planting habits of farmers. Results from the Yunnan Agricultural University work in using diversity to manage pest and disease by mixed planting of rice varieties to control blast and improve yield has convinced the Chinese Ministry of Agriculture and provincial agricultural departments to evaluate this technique in ten other provinces in China for possible large scale implementation. Partners from Morocco bring to the project the expertise in participatory screening of local crop germplasm, Ugandan partners have worked closely with farmer mixtures and percentages or ratios of different banana varieties in farmers' mixtures, and Ecuadorian partners have a long history of linking formal sector breeding practices with farmer breeding practices.

33. An agreed set of criteria among the countries has guided site selection. These criteria include environmental diversity, social cultural diversity of farming communities, intra-specific diversity of target crops, distribution of pest and pathogens, willingness of communities and local institutions to participate, local institutional capacity, and logistics for site access and are described more fully in Annexes H and I.

34. Farmer field schools for farmer-to-farmer training in Integrated Pest Management (IPM) exist within the four countries. However, these schools have concentrated on understanding the agronomic practices that farmers use to manage pest and disease and have had made limited use of local crop genetic diversity in the schools. Little knowledge is available on how farmers make genetic choices, e.g., manage diverse genes in plant populations either to manage single constraints, or as complexes of pests and diseases to minimize crop loss.

35. Earlier projects in the on-farm management of Andean roots and tubers in Ecuador, on-farm management of durum wheat, barley, alfalfa and faba bean in Morocco, and on-farm management of banana and plantains in Uganda have helped developed some participatory research capacity of Ecuadorian, Moroccan, and Ugandan scientists to work with farmers in the management of crop genetic diversity. The Ford Foundation has supported projects in southwestern China in ethnobotany and forest sociology, which have also developed capacity in participatory methodologies in China, though this capacity is not specifically directed towards supporting the management on crop genetic diversity.

36. Across the four countries there are 41 universities and institutions, both at national and local level, including technical schools, which can provide training to their respective partners at national level in the fields of: agronomy, crop protection, crop physiology, crop breeding and biotechnology, environmental sciences, extension techniques, documentation and communication, social sciences and economics. This information is based on preliminary surveys conducted during the national stakeholders meetings organised during PDF B phase of this project. A detailed list of these universities and institutions is provided in Annex E, the Public Involvement Plan, and in Annex O, Training and Capacity Building Strategy. These countries have good infrastructure and faculty for providing training in agricultural research and development. However, they lack trained manpower and training materials for specialised training courses in the field of plant genetic resources conservation and use and are not linked to community based organizations working with farmers.

37. This project aims to promote the conservation and sustainable use of crop genetic diversity in respect to resistance to pest and disease pressures. Conservation of the resource will support resource poor farmers' production and livelihood strategies and conserve valuable genetic materials globally important to plant breeders, researchers, and local populations who depend on them. The use of crop diversity to manage pest and disease pressures will reduce the need for the application of pesticides that destroy useful and beneficial insects and fungi in the agroecosystem and that also contaminate groundwater. Thus, additional global biodiversity benefits that will accrue through application of this approach will include conservation of insects, fungi, soil microorganisms, and aquatic biodiversity of adjacent ecosystems to the agricultural production system.

PROGRAMMING CONTEXT: NATIONAL AND INTERNATIONAL POLICY AND ACTION

38. The importance of agricultural biodiversity conservation for sustainable food security has long been recognised by the Governments of China, Ecuador, Morocco and Uganda. Each of the four countries has developed their respective National Biodiversity Strategy and Action Plan (NBSAP), which include crop genetic diversity.

39. The partner countries have adopted a number of conservation and development plans related to plant genetic resources, agriculture, sustainable use of plant diversity, farmers' rights and benefit sharing mechanisms, pesticides reduction and Material Transfer Agreements. Laws and policy frameworks are continuing to be developed in each of these countries. Preliminary analysis and implication of these laws and policies, in the context of biodiversity conservation and sustainable food production, was carried out for each of these countries during the PDF B phase and are summarized in Annex F.

40. All four countries have signed and ratified the Convention on Biological Diversity (CBD). All countries ratified the Convention on International Trade in Endangered of Wild Fauna and Flora (CITES). All countries, except China, have also signed and ratified the International Treaty on Plant Genetic Resources for Food and Agriculture, which was adopted in the thirty-first FAO conference by unanimity. Ecuador and Morocco are also signatories to Global Crop Diversity Trust. The project supports objectives

of Agenda 21 (1992), the Global Forum on Agricultural Research (1999), and the Global Plan of Action of FAO (1998).

41. In addition to the international treaties and policy guidelines, each country has also developed several domestic policies and laws addressing the need for agrobiodiversity conservation, access and benefit sharing, integrated pest management, biosafety and environmental protection:

- ***Access and Benefit-Sharing, Equity and Biodiversity:*** Morocco, Ecuador and Uganda have signed and ratified International Treaty on Plant genetic Resources for Food and Agriculture, which was adopted in the thirty-first FAO Conference by unanimity. Thereby, these countries are committed to conservation and sustainable use of plant genetic resources and the fair and equitable sharing of benefits derived from their use, including farmers' rights, which also includes the protection of traditional knowledge. As a signatory to this treaty, these countries are also committed the establishment of a transparent Multilateral System to facilitate access of plant genetic resources for selected species.
- ***Integrated Pest Management (IPM):*** As part of CBD, governments of all the four countries agreed to "increase food production in a sustainable way and enhance food security (Chapter 14 of Agenda 21). These Governments endorsed IPM, acknowledging its role in sustainable agriculture and rural development. IPM involves choosing a range of appropriate pest control techniques such as resistant varieties, natural predators, and cropping techniques. Annex N gives an overview of national and global IPM programmes and databases.
- ***Safe movement of germplasm and the Cartagena Protocol on Biosefety:*** All four countries are also committed to Article 19 of the Convention to develop protocols on biosafety, specially focusing on transboundary movement of any living modified organism resulting from modern biotechnology that may have adverse effect on the conservation and sustainable use of biological diversity. In addition, Ecuador and Morocco has endorsed the "International Plant protection Convention (IPPC)" to prevent the spread and introduction of pests of plants and plant products, and to promote appropriate measures for their control.
- ***Pesticide control and environmental and human health:*** For the past two decade, the Pesticide Action Network (PAN) has worked to make voluntary codes and legally binding instruments more effective in reducing pesticide hazards. The International Code of Conduct on the Distribution and Use of Pesticides (FAO code) was adopted in 1985 and amended to include the principle of Prior Informed Consent (PIC) in 1989. China and Ecuador have signed the Rotterdam Convention establishing PIC in International Law. In addition, all four countries are participating in the *Global Information Network on Chemicals (GINC)*, a world information network for safe use of chemicals and provide information for better protection of workers, public health, and the environment
- ***Environmental Law Programme:*** All the four countries are members of the IUCN Environmental Law Programme to advance sustainability through the development of legal and policy concepts and instruments and through building the capacity of societies to develop and implement environmental law and policy, in furtherance of the IUCN Mission, in their respective countries.

42. Diversity of crops extends beyond national boundaries and cannot be adequately conserved by any single country. Regional networks and strategies have emerged as important ways that national programmes can collaborate to conserve and use crop genetic resources. Networks can also promote the safe exchange of material. Supporting regional networks is also one of six major institutional objectives of the International Plant Genetic Resources Institute (IPGRI). All the four countries are part of their respective regional PGR networks in addition to participating in other regional strategies and initiatives (Annex J).

43. A key component of the project will be the recommendation of diversity-rich practices to substitute pesticide use. Links have therefore been made not only of the agricultural sector, but also of the environmental sector for measurements of impact the project could have on environmental and human health. Links will enhance the project in the quantification of improved soil and water quality where diversity rich-practices have been implemented and sharing of information with biodiversity conservation projects concerned with associated biodiversity, i.e., pollinators, soil microorganisms.

44. China participates in the Regional Network for Conservation and Utilization of Plant Genetic Resources in East Asia, established to improve conservation and use of the region's plant genetic resources through information exchange and collaborative activities that are of common interest to member countries. China is a member of the Asian Rice Biotechnology Network, which was established at IRRI in 1993 to help national agricultural research systems institutes in Asia to apply biotechnology tools to improve rice production. China participates in International Network for Genetic Evaluation of Rice, which promotes the exchange of rice germplasm and information. China is also a member of Tropical Asian Maize Network, whose objective is to strengthen hybrid maize technology in the Asia-Pacific region through effective voluntary cooperation in product testing, germplasm exchange, information dissemination, consultation, training and periodic meetings and workshops.

45. Ecuador participates in three plant genetic resources networks: the Andean Plant Genetic Resources Network, the Amazonian Network on Plant Genetic Resources, and the Central American Network on Plant Genetic Resources, which aim to strengthen national capacities for plant genetic resource conservation through regional cooperative activities. Ecuador is a participant of the UNEP/GEF project on "Conservation of the Biodiversity of the Paramo in the Northern and Central Andes. Ecuador is a member of Andean Community of Nations (CAN) and has endorsed the CAN's Decision 391, which promotes the creation of Standard Regulations of Access to Plant Genetic Resources and Decision 345, which deals with intellectual property rights of plant varieties. Ecuador, along with other 11 other countries has signed the Declaration of Cancun and Declaration of Cusco – 2002 to recognise the importance of these mega-diversity countries for protection and conservation of diversity for global benefits. In addition, Ecuadorian partners are closely linked to two Andean initiatives; "Participatory research on Andean crops" and "Use of clean technologies for the banana production with small-scale farmers" to be implemented through national agriculture research institutes (NARIs) of Venezuela, Ecuador, Peru and Bolivia."

46. Morocco is a member of The West Asia and North Africa Network on Plant Genetic Resources. Morocco leads the Faba Bean Research Network for the Maghreb supported by the EU for the development of methodologies and approaches for improving *Vicia faba* cultivars for resistance to major diseases and better adaptation to the Mediterranean conditions. Morocco is a member of the Mediterranean Network on Nitrogen Fixation and leads the grain legume component of the EU funding initiative on Modulation of plant-bacteria interactions to enhance tolerance to water deficit for grain legumes in the Mediterranean dry lands. Morocco has signed regional conventions for the protection of the Mediterranean against pollution and the protection of biological diversity, with the Middle East for the protection of the plants, and with the African continent on the natural resource and nature conservation and plant health.

47. Uganda is a member of the Eastern Africa Plant Genetic Resources Network (EAPGREN), which has a tripartite focus on capacity building, research and development of PGR support services. Uganda is also a member of the Banana Research Network for East and Southern Africa (BARNESA). Uganda is a member of the UNEP/GEF project on "Promoting Best Practices for Conservation and Sustainable Use of Biodiversity of Global Significance in Arid and Semi-Arid Zones" and the UNEP/GEF project on "Community-based Management of On-farm Plant Genetic Resources in Arid and Semi-arid Areas of Sub-Saharan Africa".

48. At the national level, the four countries have made appropriate linkages to existing projects and planned projects of country components of project within their countries:

- Project partners in China have developed close collaboration with the Ministry of Agriculture to implemented UNDP/GEF Comprehensive Agriculture Development and Biodiversity Conservation Programme. Linkages have been developed with Ford Foundation's program in Environment and Development, and the project will be working with Ford Foundation national partners from project in southwestern China in Sustainable Community Forest Management and Minority Culture and Natural Resources. The project complements the UNDP/GEF project on "Conservation and Sustainable Utilisation of Wild Relatives of Crops" which is concerned with protected areas wild relatives rice among other crops. Chinese partners have made links with the UNDP/GEF project on "Multi-agency and Local Participatory Cooperation in Biodiversity Conservation in Yunnan's Upland Ecosystem."
- Project partners in Ecuador have developed close links with the "Proyecto de Resistencia Duradera para la Zona Andina", which will provide a framework of knowledge and additional resistant material for farmers. Instituto Nacional Autónomo de Investigaciones Agropecuarias (INIAP), the project executing agency has also worked in close collaboration with the "ECOSALUD" (Refers to focus on ecosystem and their impact of human health) project to quantify the negative effects and assist farmers in the reduction of pesticide use through implementing of IPM programs. Ecuadorian partners have formed linkages with several national projects such as the recently funded by McKnight projects on, "Cover agriculture in the highland Andes", "Enabling Seed Systems: The biological foundation of food security in the Andes", and "Food security with Andean grain in Cotopaxi-Ecuador." Project partners have close links with FAO supported Ecuador Farmers Field School (FFS), and with the Deutsche Gesellschaft für Technische Zusammenarbeit (GTZ) in Ecuador, including a GTZ supported project to promote gender equity in policy makers in the region.
- The co-ordinating institute in Morocco, the Institut Agronomique et Vétérinaire Hassan II, Rabat is well-linked to the Moroccan National Research Institute, NGOs, and the Ministry of Agricultural and its extension service through the framework set up in the IPGRI supported global project on "Strengthening the Scientific Basis of *In Situ* Conservation On-farm". Moroccan partners are also linked to the UNDP-GEF supported project to promote the maintenance and better use of the data palm diversity present in North Africa. Project partners in Morocco are also providing information in the development of the UNDP/GEF project on "Conservation and Sustainable Management of Globally Important Ingenious Agricultural Heritage Systems (GIAHS)."
- Uganda project partners have made linkages with the Department of Soil Science, Faculty of Agriculture, Makerere University and the National Agricultural Research Organisation (NARO) through two of its research programmes - National Banana Research Programme and the National Plant Genetics Research Programme, and to two community based organisations – Bushenyi Banana and Plantain Farmers' Association and Masaka Banana Farmers' Association, who are currently participating in the regional project, "Utilisation of banana (*Musa* spp.)- based biodiversity to improve livelihoods." Linkages have been made with Ugandan country component of UNEP-GEF project on "Conservation and sustainable management of below ground biodiversity" to collaborate on measurements of below-ground biological diversity to measure the impact of substituting diversity rich practices for pesticide.

49. The project builds on the experiences and capacity developed by the UNEP GEF supported UNU-led People Land management and Environmental Change (PLEC) programme. Participants of the PLEC

programme actively contributed to stakeholder meetings in Uganda and China during the PDF-B phase of the project. During the last four years IPGRI has hosted two joint international meetings with PLEC partners to facilitate exchange of experiences in the field of agriculture biodiversity management on-farm, resulting in a IPGRI/PLEC/CBD collaborative book, currently in press, on the Management of Biodiversity and Agricultural Ecosystems.

50. The proposed project is consistent with the priorities of the GEF OP#13 “Conservation and sustainable use of biological diversity important to agriculture”, and supports the objective “to promote the positive and mitigate the negative impacts of agriculture systems and practices on biological diversity in agro-ecosystems and their interface with other ecosystems; the conservation and sustainable use of genetic resources of actual and potential value for food and agriculture...”.

51. The project directly supports all four objectives of the Convention on Biological Diversity (CBD) programme of work on agricultural biodiversity, adopted through decision V/5 at the fifth meeting of the Conference of the Parties of the CBD. More specifically, it relates directly to each of the four objectives of the CBD programme of work for agricultural biodiversity:

- *Objective 1: Assessment of agricultural biodiversity.* The project responds directly to Activity 1.2. “Promote and develop specific assessments of additional components of agricultural biodiversity that provide ecological services”, and Activity 1.3. “Carry out an assessment of the knowledge, innovations and practices of farmers and indigenous and local communities in sustaining agricultural biodiversity and agro-ecosystem services for and in support of food production and food security”.
- *Objective 2: Adaptive management.* The proposed project responds directly to the CBD programme of work for agricultural biodiversity Activity 2.1 “to carry out a series of case-studies, in a range of environments and production systems, and in each region”. It specifically addresses “(b) The role of genetic diversity in providing resilience, reducing vulnerability, and enhancing adaptability of production systems to changing environments and needs”; and “(f) Pest and disease control mechanisms, including the role of natural enemies and other organisms at field and landscape levels, host plant resistance, and implications for agro-ecosystem management”.
- *Objective 3: Capacity building.* The proposed project responds directly to the CBD’s programme of work for agricultural biodiversity Activity 3.1, “Promote enhanced capabilities to manage agricultural biodiversity by promoting partnerships among researchers, extension workers and farmers in research and development programmes for biological diversity conservation and sustainable use of biological diversity in agriculture...”, Activity 3.2 “Enhance the capacity of indigenous and local communities for the development of strategies and methodologies for *in situ* conservation, sustainable use and management of agricultural biological diversity, building on indigenous knowledge systems”, and Activity 3.3 “Provide opportunities for farmers and local communities, and other stakeholder groups, to participate in the development and implementation of national strategies, plans and programmes for agricultural biodiversity, through decentralised policies and plans, and local government structures.”
- *Objective 4: Mainstreaming.* Project design incorporates diffusion of the resulting principles and approaches into all levels of decision-making, from the local farmer, farmer organisations and extension programmes, to national and global level policy fora. Under this objective, the project responds directly to the CBD’s programme of work for agricultural biodiversity Activity 4.1 “Support the institutional framework and policy and planning mechanisms for the mainstreaming of agricultural biodiversity in agricultural strategies and action plans, and its integration into wider strategies and plans for biological diversity.”

52. The project is consistent with Strategic Priorities Two and Four in Biodiversity for GEF Phase III. The project will: a) develop globally applicable and relevant criteria and tools to determine when and

where intra-specific genetic diversity can provide an effective management approach for limiting crop damage caused by pests and diseases in agroecosystems; b) demonstrate replicable best practices that determine how to optimally use crop genetic diversity to reduce pest and disease pressures; and; c) support the mainstreaming of agrobiodiversity conservation and sustainable use strategies beyond site-specific successes by effectively disseminating project tools, methodologies, practices and policies to stakeholders (farmers, community organisations, universities, government ministries) that are involved in sustainable use and conservation of agrobiodiversity. For policy makers and government officials, the results will support implementation of national policy that which supports the reduction of pesticide use and biodiversity conservation (Annex F).

RATIONALE AND OBJECTIVES (ALTERNATIVE)

53. This proposed intervention aims to provide a framework of tested management practices that can support use of genetic diversity to mitigate the effects of pests and pathogens. It will bring together farmer knowledge and experience with information from agricultural research work. On the basis of selected model studies on crop-pathogen systems throughout the world, it will develop the tools and capacities needed to determine what diversity-based approaches are desirable and how they should be deployed. It will identify techniques and approaches that can be replicated to areas and crops outside those selected for the project. It will help build the frameworks for sustainable partnerships between farmers, extension workers, national research institutes, government ministries and others. These frameworks will serve as models for other parts of the world.

54. The intervention complements and extends IPM strategies by using and managing local crop cultivars themselves as a key resource, making use of the intra-specific diversity among the cultivars maintained by farmers. For resource-poor farmers in developing countries, local crop diversity and its management may be one of the few resources and options available to combat pest and disease pressures and this will provide strong motivation for adoption and replication of this ecologically sound agricultural practice.


55. The project aims to increase the use of "diversity rich" solutions to manage pest and disease pressures for small and marginal farmers. They will be used by the farmers, community based organizations, development and extension workers, NGOs, NARS research scientists, breeders, environmental health workers and policy makers. Farmers will use the information and materials when the methods and materials reduce crop vulnerability to production and income losses. The approach will provide environmental health workers with an alternative to the unsafe pesticide use. Crop breeding programmes will be more effective through increased use of local resistant materials and new methods to reduce crop vulnerability.

56. Local crop genetic diversity will be maintained as it becomes clear that it contributes to sustainable production and farmers' livelihoods. Tools and practices will be provided that can be used to support farmers around the world to conserve local crop diversity which, through its use, can minimize pest and disease damage. Practices will include diversity rich options to substitute pesticide use. IPM strategies will be complemented and extended globally to include the use of local crop cultivar diversity as an important resource. Ultimately, these results will support biodiversity conservation, improve ecosystem health and increase food security.

57. National partners selected crops, pests and diseases to cover a range of systems and circumstance so that the methodologies developed could be replicated and applied to other systems. The project crops, rice (*Oryza sativa*), maize (*Zea mays*), barley (*Hordeum vulgare*), common bean (*Phaseolus vulgaris*), faba bean (*Vicia faba*), banana and plantain (*Musa spp*), cover a range of breeding systems (inbreeding, outcrossing, partial outcrossing, and clonal) and farmer management systems (managed as populations versus managed as single plants). Pest and pathogens cover those that are determined by major and minor

genes (one gene or a complex of genes provide resistance), seed-borne, soil-borne and air-borne diseases, and pathogens or pests affecting different plant organs (aerial and roots). All four countries, China, Ecuador, Morocco and Uganda, contain areas of important crop genetic diversity for these crops, including different types of resistance to major pests and pathogens in their local crop cultivars maintained in traditional farming systems. The countries have at least two target crops in common with another partner country, linking diversity of primary centres of diversity to secondary centres of diversity, in-country initiatives exist upon which the project can build, and each country's demonstrated commitment to conservation of agrobiodiversity. Details of crop, pest, disease and sites, together with their selection criteria are listed in Annexes H and I.

58. The fundamental approach for achieving the goal of this project is illustrated in the following flow chart.



59. The development objective of the project is to conserve crop genetic diversity in ways that increase food security and improve ecosystem health. This will be shown through local and indigenous communities' increased and more reliable food supply through the use of crop genetic diversity to minimize crop loss, and through diversity-rich practices used to replace pesticide use. The immediate objective of the project is to enhance conservation and use of crop genetic diversity by farmers, farmer communities, and local and national institutions to minimize pest and disease damage on-farm. Measurement of project progress and achievement of the project's immediate objective will be based on the land acreage that will contribute to the conservation and sustainable use of crop genetic diversity in respect to minimizing pest and disease damage (at least 356,000 ha of land) and the number of departments of agriculture and the environment and local and national institutions in each country that have incorporated crop genetic diversity-rich practices to minimize pest and disease pressures into their development plans.

60. The project has three anticipated outcomes:

Outcome 1: Rural populations in the project sites benefit from reduced crop vulnerability to pest and disease attacks.

Outcome 2: Increased genetic diversity of target crops in respect to pest and disease management

Outcome 3: Increased capacity and leadership abilities of farmers, local communities, and other stakeholders to make diversity-rich decisions in respect to pest and disease management.

Measurement of progress and achievement of these outcomes will be based on seven impact indicators:

- i. Food insecurity is reduced for 10% of the families in 31 local and indigenous communities.
- ii. Crop yields are increased by 10% from reduced crop losses from disease and pest damage for at least 20% of the farms (equivalent to 52,600 ha) in project sites.
- iii. Diversity-rich practices replace pesticide use to minimize crop damage for 15% of project site regions (equivalent to 106,900 ha).
- iv. Diversity for resistance is increased by 10% on 30% of farmer fields in the project sites (equivalent to 78,900 ha).
- v. Use of crop genetic diversity to manage pest and disease pressures occurs on 20% of the farms (equivalent to 142,600 ha) in the project site regions in four countries.
- vi. At least 20% of the farmers of the project site regions (equivalent to 6,200 families) implement diversity-rich methods developed in the project to increase use of crop genetic diversity to manage pest and disease pressures on-farm.
- vii. At least two male and female farmer representatives in each site have participated in national committees or decision making fora for planning and evaluation of diversity-rich methods to manage pest and diseases.

Specific Activities for Phase I, together with Milestones, and Objectively Verifiable Indicators for Phase I are listed in Annex B1: Phase I: Objectively Verifiable Indicators and Milestones.

61. Economic impact will also be measured using methods and tools tested and made available by year four of the project to estimate the value of crop genetic diversity in reducing yield losses, and in mitigating product quality losses from pest and diseases (see Annex B, Output 1, Objectively Verifiable Indicator 1.3).

62. Global benefits of the project are: (1) the conservation of globally significant crop genetic diversity in respect to resistance to pests and diseases, (2) the conservation of associated biodiversity due to decreased pesticide use, and (3) the development of practices that use local crop genetic diversity to manage pest and diseases that can be applied both within and outside the four project countries.

63. Domestic benefits include: (1) increased availability and use of "diversity rich" low cost solutions to manage pest and disease pressures for small and marginal farmers, (2) capacity to make decisions by the farmers, community based organizations, development and extension workers, NGOs, NARS research scientists, breeders, environmental health workers and policy makers on when and where local crop genetic diversity will be useful to minimize pest and disease pressures, (3) increased and more reliable food supply for local and indigenous communities through the use of crop genetic diversity to minimize crop loss, and (4) increased land area contributing to the sustainable use of crop genetic resources. The approach will provide environmental health workers with an alternative to the unsafe pesticide use. Crop breeding programmes will be more effective by increased use of local resistant materials and new methods to reduce crop vulnerability and the development of benefit sharing protocols with farming communities.

PROJECT ACTIVITIES/COMPONENTS AND EXPECTED RESULTS

64. During the PDF-B phase, project components were tested, assumptions analyzed, and stakeholder groups identified. The resulting analyses have guided the implementation of the project intervention, which comprises four components: (1) Criteria and Tools; (2) Practices and Procedures; (3) Capacity and Leadership; and (4) Mainstreaming and Replication. These four components led to the formulation of four project outputs. All four project outputs contribute to the achievement of each of the three project outcomes and are therefore listed together after the project outcomes in the project logical framework (Annex B). The project intervention will develop criteria and tools to determine when and where intra-specific genetic diversity can provide an effective management approach for limiting crop damage caused by pests and diseases by integrating existing farmer knowledge, belief and practices with advances in the analysis of crop/pest and disease interactions. Practices and procedures that determine how to optimally use crop genetic diversity to reduce pest and disease pressures will be made available. The capacity and leadership of farmers and other stakeholders to use local crop genetic diversity to manage pest and pathogen pressures will be enhanced. Best practices will be supported, mainstreamed and replicated.

The complete list of indicators per output can be found in Annex B.

CRITERIA AND TOOLS

Output 1: Criteria and tools to determine when and where intra-specific genetic diversity can provide an effective management approach for limiting damage caused by pests and diseases

65. While it is known that crop genetic diversity can be used to reduce pest and disease pressures, it is also known that this approach is not appropriate in all circumstances. Criteria will be developed to determine when and where diversity can play or is playing a key role in managing pest and disease pressures. These criteria will form the basis for tools and decision-making procedures for farmers and

development workers to enable the appropriate adoption of “diversity-rich strategies” to manage pests and diseases.

66. National partners are jointly developing global participatory diagnostic protocols which will standardize research protocols. A draft protocol for participatory diagnosis for (i) farmers’ beliefs and practices and (ii) field and laboratory assessment was begun during the PDF B phase based on outputs of the initial planning workshop in Spoleto, Italy before the PDF-B phase as well as subsequent global workshops on participatory planning and diagnostic tools and is found in Annex G. Decisions were made on types of information to come from focus groups discussions (FGD), individual surveys, secondary sources, and technical assessment (field and laboratory) for the target crops, pests and pathogens. In each site there will be a minimum of five FGD sessions, one each for a) older farmers, b) male farmers, c) women farmers, d) community leaders and e) extensionists. Individual surveys will be disaggregated by gender.

67. Technical assessment will include characterization of hosts, pests, pathogens and surrounding abiotic environments. For maize, faba bean and common bean, care will be taken to collect large enough seed samples to allow for the screening for diversity within a sample, and to note all descriptive information by farmers. For plantain, plants will be mapped within populations/sites based on morphological and resistance traits. Initial standards for experimental design and sampling by crop will be decided upon by project partners during the first six months of the project.

68. The protocols go much further than providing guidance to produce descriptions of host-pest/pathogen systems on-farm. These protocols are being refined for development of a six step decision making tool. The steps are listed below that will enable the determination of when the use of crop genetic diversity on-farm would be an appropriate option to minimize crop loss due to pest and diseases. Each step includes assessments of farmers beliefs and practices and measured data. Components and guiding questions for methodology development for each step are detailed in Annex G.

Step 1. Are pest and diseases viewed both by farmers and scientists as a significant factor limiting production? If so –

Step 2. Does intra-specific diversity with respect to pests and diseases exist within project sites and if not, whether other sources of intra-specific diversity with respect to pest and diseases exist from earlier collections or from similar agroecosystems within the country? And/or –

Step 3. Does diversity with respect to pest and diseases exist but is not accessed or optimally used by the farming communities? If so --

Step 4. Is there diversity in virulence and aggressiveness of pathogens and/or diversity in biotypes in the case of pests?

Step 5. Are, and if so how are, pest and diseases moving in and out of the project sites, including the role of the local seed/propagation material systems?

Step 6. What “genetic choices” do farmers make, including using or discarding new and old genotypes, selecting criteria for hosts that are resistant, and managing mixtures to minimize crop loss due to pest and diseases?

69. Step 1 is used to ensure that before investment in resources for project implementation, is in areas where specific pest and disease problems are identified as being of major issue to farmers.

70. Step 2 includes quantification of the amount and type of diversity of local crop varieties on farm not only for identifying resistant varieties, but also for understanding the potential tradeoffs among resistant and non resistant varieties in terms of production and quality traits preferred by local communities. Participatory protocols, developed through earlier projects in Morocco (barley and durum wheat), Mexico (maize and common beans), Nepal (rice) and Uganda (banana and plantain), that exist to determine whether the same named varieties from within and among different regions are genetically the same, will be modified for participatory determination of to what extent variety names and traits used by farmers to describe these varieties, can be used to identify amounts of diversity in respect to resistance found on-farm.

71. Resistance may exist in project sites or in earlier collections from project sites, or similar agroecosystems with in the target countries, that is not being optimally used on-farm. Farmers may be using varieties for other purposes not associated with minimizing pest and diseases, or they may not be able to access materials that they know are resistant. In Step 3, barriers and constraints, including social, economic and knowledge barriers to diversity access will be examined.

72. Step 4 includes surveys of pathogen variation (e.g., screening samples of isolates against a range of crop genotypes), and pest biotypes. Measurements will be made on insect pests and pathogens of importance and the time of their occurrence; varieties will be surveyed *in situ* for infestation levels at the appropriate times. Step 4 includes gaining an understanding of farmer classification systems for pests and pathogens. Perceptions by farmers of pests and diseases variation, including whether farmers perceive that varieties are becoming more susceptible over time or more susceptible when planted in different plots or environments, and whether pesticides have become less affected will help provide insights to the reasoning behind pest and disease management practices and the management of genetic diversity. A detail quarantine strategy will be worked out in each country for each host - pest or pathogen system as part of the research protocols. Particular care that both field and glasshouse or lab experiments do not introduce alien biotypes or pathotypes.

73. Step 5 is concerned with the mechanisms that are responsible for movement and transmission of pest and diseases within and among communities, and thus requires an understanding of the mechanisms and components of local seed systems. Identifying which persons or groups are involved in movement of seeds and other propagating material, and their awareness of pest and disease transmission mechanism will be key for mainstreaming and replicating practices involved with seed and clonal cleaning discussed later in this document.

74. Step 6 leads the decision maker into an understanding of farmer management practices which use crop genetic diversity. Do farmers use mixtures; how are the mixtures arranged? Do farmers select for resistance: do they choose particular varieties because they have known resistant traits, do they select particular plants within a variety to have a more resistant population, do they plant particular parts of their fields for seeds to be used the next generation? Answers to these questions will guide the development or practices and procedures that enhance the use of genetic diversity to minimize pest and disease pressures.

75. In addition, econometric methods will be developed to test the effects of crop genetic diversity on expected crop yields and yield variability as well as the probability of crop failure, given levels of pesticides applied. The estimated, stochastic production function can then be used to simulate the pesticide-crop genetic diversity relationship to investigate the degree of substitutability of crop genetic diversity for pesticides. The production function requires data on yields, pesticide application, and levels of all other production inputs (e.g. labor and management, land, animal traction, fertilizer). Since substantial differences between farmer conditions and trial conditions are typical, the function will be applied to data generated in researcher-managed trials and recorded with farmers. Indicators on the role of crop production and losses in household vulnerability (food insecurity and income instability) will also be developed and applied with participatory research tools.

76. In order to provide scientific backstopping to project activities, a database for a national as well as an international roster of experts has been developed and will be continued during the project duration. This database will be made available on the project website, where project partners will be looking for assistance at national and international levels.

PRACTICE AND PROCEDURES

Output 2: Practices and procedures that determine how to optimally use crop genetic diversity to reduce pest and disease pressures.

77. Scientists and farmers will together test and implement approaches to use within-crop diversity in different production situations to reduce pest and disease pressures. Practices and procedures for effectively and efficiently using crop genetic diversity as a response to pest and disease pressures will then be developed. Determining the effectiveness of the different diversity deployment strategies for the different crop/pathogen interactions will allow the identification of general criteria for adopting a diversity-based approach. Generally applicable criteria, guidelines and decision-making tools will be developed. These criteria will be used to identify new systems and sites to reduce genetic vulnerability to pest and disease pressures through the use of genetic diversity management.

78. Traditional local varieties often possess substantially more diversity than found in modern cultivars. They may also provide different kinds of resistance than those found in modern cultivars. Farmers may already be using this diversity in the form of mixtures or diverse local cultivars. In addition, procedures may be used to increase the number of varieties, to vary variety mixtures to include cultivars with more diversity. Multi-lines may also be used, and resistant varieties may be inter-planted with other varieties to break disease spread. Practices and procedures to be tested can be grouped into four categories:

- (1) Identifying and replicating farmer knowledge and practices in on-going systems where intra-specific diversity is being used to manage pest and disease pressures and promote good practices.
- (2) Conducting experiments using intra-specific diversity that show the effect of diversity on controlling pest and disease incidence;
- (3) Linking national breeding and farmer selection practices to manage pest and disease pressures experience; and
- (4) Conducting simulation modelling to look at how patterns of intra-specific diversity distribution and population sizes might affect pest and disease incidence over space and time.

79. One of the strengths of farmer genetic diversity is that it has been used as a very flexible tool to adapt available germplasm to often highly variable conditions. Farmers' mixtures are developed to site-specific disease and pest pressures, soils, slope, temperature humidity, and fertility. Thereafter a variety is added to the established mixture of a specific field as a proportion determined by the farmer. If mixtures were not managed they would soon be dominated by one or two varieties. In areas where farmers have long established themselves and have finely tuned mixtures new germplasm is much welcomed, but first tested separately in the various fields to see if and where best the varieties perform. Activities will examine existing methods of managing mixtures to determine if similar practices can be replicated to other sites.

80. The project will test whether single varieties grown pure could outperform such tuned mixtures over the wide range of environments in non-favored and often hilly or mountainous regions. A complicating factor in evaluating new germplasm is the correct use of controls to evaluate new varieties. Given that by nature farmer mixtures are highly locally tuned for performance, not just any local landrace or mixture can act as a fair control in selection and yield trials.

81. Based on experience from the Chinese partners, varietal mixtures will be developed based on a comprehensive analysis of the resistance background, agronomic character, economic value, local cultivation conditions and the planting habits of farmers. In their previous work the Chinese partners used modern resistant varieties to “protect” more susceptible local varieties in mixtures. For this project they will be challenged in the use of local mixtures, and resistance found in local germplasm in indigenous areas where local diversity still exists to minimize pest and disease pressures.

82. There are a number of areas where the formal breeding sector might usefully make additional contributions to maintenance of local crop genetic diversity. The project will include an evaluation of past and present use of crop diversity by national breeding programmes to manage pest and diseases. Comparisons will be made among selection criteria and methods of formal breeders and farmers. Options will be explored for strengthening supplies of important local cultivars by national gene banks.

83. Breeding will focus on increasing desirable characteristics in local resistant varieties, and increasing the resistance of local varieties preferred by farmers. Participatory processes will be used to develop and test these materials locally.

84. Simulation modelling, as proposed in the project activities, will help for testing over space and time the impact these different practices could have on the sustainability of crop yield stability.

85. These practices and procedures will be tested and validated at project sites, in farmers’ fields. The different range of diversity-rich practices and options will be compared to determine appropriate spatial and temporal scales to manage pests and diseases. This will include providing different mixtures of local germplasm from project site materials and earlier collected materials (including from *ex situ* collections) from project sites and similar agroecosystems, and promoting interchange of resistant materials among farming communities from the same sites as well as between sites. Quarantine issues are of extreme importance. Protocols will be developed for exchange of resistance plant materials within and among countries, however, aliena biotypes or pathotypes will remain within their country of origin.

ENHANCED CAPACITY AND LEADERSHIP

Output 3: Enhanced capacity of farmers and other stakeholders to use local crop genetic diversity to manage pest and pathogen pressures.

86. The project is driven by a clear appreciation by all project partners of the central role of the farmer in managing crop genetic diversity and of the importance of adopting working practices that are fully participatory and start from a desire to reflect farmers’ needs and concerns in diversity management. Experience of working on the management of agricultural biodiversity has demonstrated that not only do participants need the capacity to employ those activities relevant to their specific work or role, but also they must be able to rely on strong working relationships with other stakeholder groups. These working relationships will be developed through training in participatory approaches and team building among farmers, farmers’ organisations, NGOs, local and national research and educational institutes, government ministries, and international institutes.

87. Different knowledge of women and men, and the importance to ensure equitable benefits from the project outputs requires not only that information be disaggregated by gender but that training and management opportunities be equitably distributed. In response to this, activities in the Logical Framework (Annex B) include not only enhancing farmer’s leadership ability to take decisions concerning the management of pest and diseases but also actively ensuring women’s participation in technical and university training programmes and decision making fora. Farmers and farmer groups will be targeted for capacity-building to manage their production systems with diversity rich options to manage pests and

diseases. This includes training in biological sciences, diversity assessment, and seed management for pest and diseases. The seed activities of local farm organisations will be strengthened to integrate pest and disease considerations.

88. Community biodiversity management approaches used in this project will facilitate the development of strong ownership of the conservation and development activities by local communities and by local and national researchers, development workers, and policy makers. This will result in nationally supported initiatives, where communities will be prepared to develop their own work plan and generate their own resources and information systems to guide the activities.

89. The capacity of local institutions to sustain project activities will be enhanced through training and inputs to local extension, NGOs, middle and technical schools and local colleges. Teachers at primary schools will also be involved in the process through training which could improve understanding at community level. Capacity will be built in research institutes to analyse local crop diversity in respect to pests and pathogens. Capacity will also be built to apply new econometric methods and tools in assessing the value of crop genetic diversity, and manage the information. The project will build capacity to analyse national and international legal and economic policies related to project objectives.

90. A National Research Center for Agriculture Biodiversity (NRCAB) will be established and operative at the Yunnan Agricultural University (YAU), Kunming, China. This center will focus on three key areas: agricultural biodiversity and pest and disease control; agricultural biodiversity and its conservation and use; and crop modeling, technology development and extension activities for agriculture biodiversity to enhance sustainable economic development. During PDF B phase, it has been agreed that this center will provide training at global level for use of crop diversity to manage pests and diseases problems in traditional farming systems, using both local and high yielding varieties.

91. During PDF B, opportunities were explored for linking higher degree programmes supported by co-funding (M.Sc. and Ph.D.). During the full project “sandwich” Ph.D. programmes will be designed between Washington State University (WSU), Oregon State University (OSU) and Cornell with the Institut Agronomique et Vétérinaire Hassan II, Rabat, Morocco, and Makerere University, Kampala, Uganda. Washington State University is taking the lead in providing a collaborative arrangement among the three US universities. A sandwich Ph.D. programme is also being designed between University of Kassel, Germany and universities in Ecuador. Students who enter the sandwich programmes will complete their course work in the US or a European university and return to their respective countries to complete their research work at the project sites. A feature of the programmes is the student’s thesis research, which will focus on major research questions of the project logframe. Another important dimension of the sandwich programmes will be the appointment of qualified respective national university faculty as adjunct faculty in relevant departments at WSU and the appointment of qualified WSU faculty as adjunct at the respective national universities.

92. Training needs were identified through a consultative process during national planning meetings, where representatives of all major project stakeholders participated in each country. Based on strengths and weaknesses, a training strategy was developed for each country and the training needs were listed. Details of the training and capacity building needs are described in Annex O, Training and Capacity Building Strategy.

MAINSTREAMING AND REPLICATION

Output 4: Actions that support adoption of genetic diversity rich methods for limiting damage caused by pests and diseases.

93. Sustainable application of benefits derived from the project will require integration of the knowledge gained into all levels of agricultural and environmental practices and development. Mainstreaming will move the project beyond site-specific successes to strategies for diffusing beneficial techniques into practices and policies from community to global levels. It is this process that ultimately allows replication of project results, and adds significant global value to the project investments.

94. The four national executing institutions are primary institutions in their respective countries for mainstreaming project results. The Yunnan Agricultural University close collaboration with the Chinese Ministry of Agriculture has resulted in the expansion of mixed planting of rice varieties to manage pest and diseases to ten other provinces in China. The Instituto Nacional Autónomo de Investigaciones Agropecuarias (INIAP), Ecuador has more than 40 years of research and extension activities in the country and has contributed significantly for pests and diseases problem management in potato and agrobiodiversity management of local roots and tubers at national level in partnership with several international organizations. The Morocco Ministries of Agricultural and the Environment jointly awarded the Institut Agronomique et Vétérinaire (IAV) Hassan II, Rabat, Morocco in 2004 the National FAO World Food Award for its work in improving food security through the use of crop genetic resource in Morocco. The National Agricultural Research Organisation, Entebbe, Uganda is the overall government institution in charge of all agricultural research and has contributed significantly for client-oriented agricultural research and dissemination for small-holders farmers and mainstreaming fight against cassava mosaic disease epidemic in Uganda.

95. Successful experiences and comparisons of diversity rich options to others (e.g., agronomic practices, chemical use) will be documented and published in different media forms, farm field visits will be organised for policy makers and the press, and cross site visits will be organised for farmers. Field visits will illustrate the benefit of specific technologies and operations on demonstration plots, such as seed cleaning and treatment effects on seed quality, production practices, and results of participatory selection.

96. Seed supply systems are often one of the most vulnerable components of diversity management at local level. Strong seed supply systems enable farmers to maintain a high level of crop genetic diversity over time, despite losses of seed stock, bottlenecks, and other regular or unanticipated losses of crops genetic diversity. Activities within the project are aimed at developing and/or strengthening local systems that enhance seed security, through promoting the control of seedborne or clonal material diseases is a priority, and includes the role that might be played in enhancing the capacity of farmers to deal with post-harvest pests.

97. Collaboration between agricultural extension services and local NGOs will be promoted to increase access of locally-adapted farmer seeds across villages and regions with similar agroecosystems. Diversity fairs, site demonstration plots of selected *ex situ* collections and promotion of seed interchanges through local nodal farmers will be used. Inclusion of local crop diversity and techniques on seed cleaning of local crop cultivars, other methods of seed quality improvement and use of diversity in pest and disease management will be mainstreamed into agricultural extension, NGO development packages, and educational curricula. National breeding strategies will be adapted to include farmers' knowledge and materials in breeding programme.

98. An economics methodology will be developed to estimate the effects of these diversity rich practices of crop genetic diversity management on expected yield losses, yield variability, and downside

risk, or the probability of crop failure. These effects, when valued by relevant prices, constitute the insurance value of crop genetic diversity. In cases where pests and diseases affect product quality, the value of crop genetic diversity in mitigating quality differentials will also be measured. The extent to which crop genetic diversity is an effective substitute for pesticides in reducing yield losses will be assessed. If it does substitute for pesticides, three types of benefits result. First, farmers save cash outlays in terms of input costs. Second, the deleterious effects of unsafe pesticide use on human health are avoided. Third, environmental externalities, such as the risk of losses to other species and aquatic diversity, are reduced. Where feasible in the project timeframe, methods will be developed to estimate the ecosystem support value of crop genetic diversity.

99. Part of participatory research involves making sure that data are of some use to the communities from which they are being elicited and returning these data in a user-friendly format. Data collected through on-farm research, such as compilations of diversity resistance of local crop varieties, will be useful to communities for use in community information systems. These include community-based registers or records, kept in a paper or electronic format by community members, of all landraces in a community, including information on their custodians, agroecological characteristics or adaptive traits, and cultural use. Posters or displays in vernacular languages will be used to present written information. Cultural knowledge such as folk songs highlighting the importance of local crop diversity and pest and disease management can be published and disseminated to communities in vernacular languages. Other public awareness strategies, such as Diversity Fairs and Diversity Theatre, can be utilized to share information with a wide audience and have the advantage of reaching beyond the literate population. As always with participatory work, community members will be involved in deciding the most useful strategies for sharing the information generated through such collaborative research.

100. Workshops will be organised at the province and county levels of each site designed to feedback results generated to a multi-stakeholder group. Workshops will be attended by highest level representatives of all the provincial and local authorities under different ministries (Interior Affairs, Agriculture, Environment, Economy and Finance, Education), NGOs, farmers directly involved in the project and farmers from all over the Province, representatives of staff from provincial schools and universities, and newspapers and radio commanders. Meetings will be organized in local languages and include presentations and discussion of messages related to the conservation strategy based on generated data, exhibitions of variety samples and related technologies developed by the project, farmers' and professional (NGOs, development) view of the proposed strategy.

101. Policy briefs and extension manuals will be developed demonstrating economic value of use of crop diversity, curricula for local schools, modified extension packages on the use of diversity, and benefit sharing mechanism, all will promote the public awareness for sustainable use of crop diversity on farm and policy support to national programme and donor concern for sustainability of the project over space and time.

102. Through the regional networks described under Programme Context, the project will see that the outcomes are shared with the respective network member countries through active participation and linking project activities. The project will also support regional meetings, where the respective network members countries will be supported for their participation.

103. Analyses will be carried out of legal and economic policies related to project objectives, including an analysis of potential barriers to adoption of the best practice demonstrated in the project and the development of benefit sharing protocols for the use of local resistant materials. The aim is to build recognition amongst institutions and in policy fora that the project methodologies provide an effective and efficient approach to managing pest and disease pressures.

RISKS AND SUSTAINABILITY

104. The project carries with it a number of assumptions (detailed in the project logical framework, Annex B) and associated risks. These assumptions can be classified into five areas: (i) that host resistance exists or is available within the project countries; (ii) that higher levels of diversity will not create super-races of pathogens (iii) that decision-makers and farmers are cooperative and open to the adoption of diversity rich approaches, (iv) that a stable and favourable political environment exists and policy makers and partners are committed, and (v) that a representative, collaborative and efficient project management structure is operative.

105. The main purpose of genetic mixtures for disease management is to slow down pathogen and pest spread. Thus, genetic diversity is not by itself a guarantee for protection against pathogens. It depends on whether the available diversity contains the right genes for resistance to protect a crop or population. For example, genetic diversity in the North American chestnut did not save it from devastation when the chest blight fungus (*Cryphonectria parasitica*) was introduced with chestnut germplasm from China. The species in North America had never been exposed to the pathogen. The chestnut population, although diverse, had no resistance genes to this pathogen. In about two decades chestnut forests were exterminated.

106. Achievement of the project outcomes is based on availability of suitable crop genetic resources in respect to managing pests and diseases. The four countries selected are rich in diversity of local crops, both on farm and *in situ*, and in diversity in traditional farming systems, thereby giving an indication of possible availability of suitable genetic materials for the project activities. Site identification is based on participatory field survey for both landrace diversity and virulence in pathogenicity during participatory field survey undertaken in each country during the PDF B phase of the project.

107. Some authors have warned that host populations that have genotypes differing in resistance to different sets of pathotypes could allow diverse pathogen populations to build up, and the potential of new super-race pathotypes to arise by single-step mutation, or recombination. Field evidence does not support this. A diverse genetic basis of resistance is beneficial for the farmer because it allows a more stable management of disease pressure than a monoculture allows. Local preferences exist for growing mixtures in part because they provide resistance to local pests and diseases and enhance yield stability. Field evidence instead supports farmer confidence in mixtures. Fields devastated by disease are rare for mixtures, yet not so for single variety sowings. The time-tested nature of mixed sowings as well as farmers' confidence in the use of genetic mixtures suggests that super-races do not develop in genetically diverse systems. Thus, both on-farm observation and empirical evidence point to traditional genetically diverse systems selecting for stability and low aggressiveness of pathogens rather than super-races and instability.

108. Technical capacity across all levels of stakeholders is an important assumption for achieving project outcomes. During the PDF B phase of the project, a critical analysis was carried out regarding the strength and weakness of the project partners, both at national and project site levels, and including farmers, farming communities, local institutions and NGOs. Based on the outcomes of these discussions, a Training and Capacity Building Strategy (Annex O), was developed which includes not only traditional training needs but also the building of leadership capacity for farmers.

109. Sustainability of formal training programmes and facilities after project completion is ensured through the establishment of permanent "sandwich" degree programmes, which substantially reduce costs for students to obtain higher degrees in US universities. The establishment, through support by the Chinese government of the National Research Center for Agriculture Biodiversity (NRCAB) at the Yunnan Agricultural University, ensures that this training center will continue to be funded after project completion.

110. The project assumes national programme commitment to integrating the use of local landraces into their development and conservation strategies for genetic resources; and the national programme commitment to working with farmers and linking NGOs. During national planning meetings, special emphasis was given on the participation of farmer representation, NGOs, and local institutions, including public schools and local research centres to bridge the gaps between government and non-government stakeholders at local and national levels in each country.

111. Sustainability of the project will be achieved when farmers and communities are able to benefit from the use of diversity rich approaches. This includes benefits from reduced crop loss to pest and disease damage and reduced expenditures for agricultural inputs such as pesticides. The project has been designed with the farmer at the centre and of the importance of adopting working practices that are fully participatory and that reflect farmers' needs and concerns in diversity management so that diversity rich practices developed are appropriate.

112. Benefit sharing also includes that the custodians of the world's genetic diversity for food security benefit from the public good they are providing. Efforts for international level benefit sharing are often oriented in favour of national governments and do not necessarily fully take account of the interest of the farmers and communities maintaining the materials. A clear approach to benefit sharing is central to this project. Initial analysis of national related policies and laws for biodiversity protection and its conservation in the four countries during the PDF- B phase indicates that the building blocks of a suitable policy environment are available. The project will be developing benefit sharing means such that the goods and services from crop diversity benefit the stakeholders responsible for their production and management.

113. In view of the global nature of the project, where project partners are based in different political and/or geographical regions, the project relies on a strong management structure that supports cooperation between and among regions and countries, as well as between and among national and local level agencies. Project management also relies on the representative partnerships that comprise stakeholders at all levels, including farmers, community organisations, scientific institutes and government agencies. Based on national and international stakeholder meetings during the planning phase, and on the experience of the international and national executing agencies in project management of earlier on-farm management projects, a project management structure has been designed and agreed upon at global and national levels that will ensure collaboration, representative partnerships and team efforts.

STAKEHOLDER PARTICIPATION AND IMPLEMENTATION ARRANGEMENTS

114. The main stakeholders involved are: farmers, farmer organizations, women motivators within the farming communities, community based organizations (CBOs), NGOs, agricultural extension workers, natural and social science researchers from universities and agricultural research institutes, and government ministries of agriculture and the environment. Farmers are the direct beneficiaries and implementers of the use of crop genetic diversity, and their participation is crucial to the project. Farmers' organizations and local NGOs will be providing local support by representing and mobilising local communities. Their capacities will be used to strengthen and implement activities related to public awareness, information relating to pest and disease problems and use of crop genetic diversity to overcome these pest and disease problems. Researchers, community-based organizations and farmers will work together with the ministries or Departments of Agriculture and Environment extension systems, to increase the awareness of agricultural extension workers in the importance of local landraces for pest and disease management, and to include local crop diversity as another option along with standard agricultural development packages.

115. Stakeholders were identified through consultation and are based on multi-institutional and multi-disciplinary approach at national and local project site level. Stakeholder groups will vary from country to country, based on each country national organization for research, education and development activities. However, by and large, the stakeholder group will include Ministries and agencies dealing with issues of agriculture, environment, education, extension and rural development, communication and information management, crop improvement, production and protection; central and provincial universities and schools; and premier national agricultural institutions. In addition to these governmental agencies, farmer associations to address concern relating to agro-biodiversity conservation, NGOs involved in the conservation and sustainable use of crop diversity, agricultural development and farmers education through participatory approach, key farmers with knowledge and awareness for biodiversity conservation and other local community groups have also been involved for project implementation activities at the grass roots level.

116. During the national planning meetings in each country, stakeholders, including individual farmers from the identified sites, researchers, extension and development workers, educators, NGOs, and government policy makers contributed to the development of procedures and criteria for: site selection, strategy for public participation; identifying roles and responsibilities for each of the key stakeholders; identifying capacity strengthening and needs assessment; related projects and baseline estimation; project implementation and coordination plan. Stakeholders during these national planning meetings also contributed to the finalization of global and respective national logical frameworks and work plans; systems for monitoring and evaluation at national level; and identification of co-financing for the project, both in-kind and in-cash.

117. A detailed national project management and implementation structure and its linkage with the global coordination were discussed for each country during PDF B phase. The project management and implement structure is based on each countries' national policies and organizational set up. These implementation and execution arrangements are designed for effective coordination of project activities at national as well as at project sites. The details of the public involvement plan for each country are described in Annex E. A common agreement was reached among partners for the Project Management Unit across all the four countries. The Project management Unit will have a National Project Director (contribution from the national executing agency), a National Project Manager (to be hired by the project) a national Programme Assistant (to be hired by the project), and Technical or Thematic Advisors.

118. The country partners discussed the need for various committees at national and site levels for better coordination of project activities during PDF B phase. The various committees proposed are: a National Steering Committee, a Site Coordination Committee, National Teams of Technical or Thematic Experts, and Site Teams. During the PDF-B Phase, the National Coordinator along with national focal team members visited each of the identified project sites to meet with leading local government officials, researchers, extension workers, media persons, key farmers and staff from local universities, schools, NGOs and community based organizations. This has facilitated the definition of the structure and role of Site Teams and National Site Coordination Committee for project implementation and their reporting to the National Steering Committee. Detailed roles and responsibilities are presented in Annex E.

119. IPGRI will serve as the executive agency at the global level. It will oversee the Global Project Management Unit (PMU), located at its headquarters in Rome. The Global PMU will be under the overall management of IPGRI's Agricultural Biodiversity and Ecosystem Project Coordinator who will act as Global Project Director. The Global PMU will include a Global Project Manager, Programme Assistant, and Technical Advisors. The PMU will establish reporting guidelines for all partners and ensure that they submit quality reports meeting reporting schedule; prepare biannual progress and quarterly financial and annual summary progress reports for UNEP and carry out a programme of regular visits to project sites to supervise activities and to address concerns relating to implementation problem.

120. An International Steering Committee (ISC) will be established. Membership will include representation from each of the Project Management Units at national level (National Project Director), IPGRI (executing agency, Global Project Director), representatives from international partners (FAO; SDC, University of Kassel, Germany, Washington State University) and a UNEP/GEF representative. ISC responsibilities include: reviewing biannual progress and quarterly financial reports and annual summary progress reports, providing policy guidance to the project, assisting the PMUs in developing linkages with other related projects, and overall guidance for the project implementation. The ISC will be meeting once a year.

121. A team of Technical and/or Thematic Advisors will be established at international and national levels. Members of the team will support technical aspects of the project included, plant population genetics, pathology, entomology, ecology, anthropology, sociology, economics, participatory approaches, law and policy. Several international institutions have already made in-kind commitments to participate as technical advisors, these include: CSIRO, Washington State University, Oregon State University, Cornell University, the University of Kassel, IRRI, IFPRI, UPWARD, and FAO. Details are listed in Annex E. In addition, an international and national rosters of experts has been established organized by discipline of potential expertise that can be called upon during project implementation (Annex K).

122. National Steering Committees (NSCs) will be established and have responsibility for approval of project planning and monitoring at national level; review of biannual progress and quarterly financial reports and annual summary reports; advice to the PMU on implementation problems at national level and suggest ions for suitable modifications to the subsequent work plan. The NSC will include representation from the Ministry of Agriculture, the Ministry of the Environment (or a representative of the GEF Focal point), the national executing agency, including the National Project Director, representation from local institutions, representation from NGOs, representation from farmers organization and/or farmers. The National Project Manager will act as secretary to this committee. The NSC will meet once a year and at least two months before the ISC meeting each year.

123. In order to share cross-site experiences and to coordinate activities across sites, national partners proposed to have a Site Coordination Committee. The members of the Site Coordination Committee will be site coordinators together with National Project Manager. The National Coordination Committee will be responsible for developing the annual work plan and budget; preparing quarterly progress reports and annual summary report; and linking Site Teams within country to ensure that lessons learned are shared among the sites and with national and global level operation. The National Site Coordination Committee will hold two meetings each year.

124. The composition of Site Teams and their roles were discussed by each country's national partners, and one such Site Team will be established for each site (China: 6, Ecuador: 6, Morocco: 5, and Uganda: 4). The Site Teams will consists of Site Manager, local thematic contact people, farmers, NGOs, and development and extension staff. The agreed responsibilities of the Site Team will include developing, together with the Site Coordination Committee, six-monthly work plan; implementing project activities on site, ensuring feed back from farmers, building relationship between farmers and national teams, organizing farmers' training and cross site visits. The Site Teams will be meeting quarterly.

125. During the PDF B phase, each country has assigned a project executive agency and each of these institutes will coordinate activities among stakeholder groups in their respective countries and are as under:

- China: Yunnan Agricultural University, Kunming, Yunnan
- Ecuador: Instituto Nacional Autónomo de Investigaciones Agropecuarias (INIAP), Quito
- Morocco: Institut Agronomique et Vétérinaire (IAV) Hassan II , Rabat
- Uganda: National Agricultural Research Organisation, Entebbe

INCREMENTAL COSTS AND PROJECT FINANCING

Incremental Cost Analysis

126. Baseline, incremental, and component costs are provided in the tables that follow. They reflect the baseline and increments costs and activities described in Annex A.

Table 1: Baseline, Alternative and Incremental Costs in US\$

	Partner	Baseline	Alternative	Increment
Outcome 1	China	445,000	1,427,224	982,224
	Ecuador	183,000	820,775	637,775
	Morocco	258,375	815,968	557,593
	Uganda	294,200	887,618	593,418
Total		1,180,575	3,951,585	2,771,010
Outcome 2	China	620,000	1,688,312	1,068,312
	Ecuador	297,400	737,380	439,980
	Morocco	383,315	1,006,193	622,878
	Uganda	207,000	627,389	420,389
Total		1,507,715	4,059,274	2,551,559
Outcome 3	China	863,069	2,635,442	1,772,373
	Ecuador	381,200	958,230	577,030
	Morocco	255,479	879,183	623,704
	Uganda	194,900	914,468	719,568
Total		1,694,648	5,387,323	3,692,675
Outcome 4	China	520,000	1,428,750	908,750
	Ecuador	173,800	782,195	608,395
	Morocco	202,831	889,381	686,550
	Uganda	137,100	617,371	480,271
Total		1,033,731	3,717,697	2,683,966
Project Management	China	0	610,386	610,386
	Ecuador	0	372,000	372,000
	Morocco	0	469,291	469,291
	Uganda	0	369,275	369,275
	Global	0	1,820,000	1,820,000
Total		0	3,640,952	3,640,952
GRAND TOTAL		5,416,669	20,756,831	15,340,162

Table 2: Component financing in US\$

Component	Partner	Increment	Co-funding				Requested from GEF
			Governments		International		
			In-kind	Cash	In-kind	Cash	
Outcome 1	China	982,224	149,253	86,152	100,000	150,000	496,819
	Ecuador	637,775	128,875	3,000	110,000	210,000	185,900
	Morocco	557,593	124,790	23,874	138,641	110,000	160,288
	Uganda	593,418	100,494	5,000	148,640	120,000	219,284
Total		2,771,010	503,412	118,026	497,281	590,000	1,062,291
Outcome 2	China	1,068,312	426,353	106,778	30,000	60,000	445,181
	Ecuador	439,980	125,080	20,800	20,000	170,000	104,100
	Morocco	622,878	205,109	32,864	30,000	30,000	324,905
	Uganda	420,389	93,347	5,000	20,000	70,000	232,042
Total		2,551,559	849,889	165,442	100,000	330,000	1,106,228
Outcome 3	China	1,772,373	465,685	732,122	40,000	120,000	414,566
	Ecuador	577,030	132,330	10,000	72,500	225,000	137,200
	Morocco	623,704	118,773	15,988	135,921	25,000	328,022
	Uganda	719,568	163,433	5,000	135,922	25,000	390,213
Total		3,692,675	880,221	763,110	384,343	395,000	1,270,001
Outcome 4	China	908,750	248,842	57,057	65,000	175,000	362,851
	Ecuador	608,395	135,395	10,000	60,000	125,000	278,000
	Morocco	686,550	210,951	53,015	60,000	75,000	287,584
	Uganda	480,271	85,155	5,000	50,000	105,000	235,116
Total		2,683,966	680,343	125,072	235,000	480,000	1,163,551
Project Management	China	610,386	101,600	31,123	0	0	477,663
	Ecuador	372,000	80,000	0	0	100,000	192,000
	Morocco	469,291	207,982	17,309	0	0	244,000
	Uganda	369,275	71,475	5,000	0	0	292,800
	Global	1,820,000	0	0	710,000	50,000	1,060,000
Total		3,640,952	461,057	53,432	710,000	150,000	2,266,463
GRAND TOTAL		15,340,162	3,374,922	1,225,082	1,926,624	1,945,000	6,868,534

Table 2a: PHASE I: Component Financing in US \$

Components	Partner	PHASE I: Increment	Co-funding				PHASE I: Requeste d from GEF
			PHASE I: Government		PHASE I: International		
			In-kind	Cash	In-kind	Cash	
Component 1	China	785,779	119,402	68,922	80,000	120,000	397,455
	Ecuador	510,220	103,100	2,400	88,000	168,000	148,720
	Morocco	446,074	99,832	19,099	110,913	88,000	128,230
	Uganda	474,734	80,395	4,000	118,912	96,000	175,427
	Total	2,216,808	402,730	94,421	397,825	472,000	849,833
Component 2	China	427,325	170,541	42,711	12,000	24,000	178,072
	Ecuador	175,992	50,032	8,320	8,000	68,000	41,640
	Morocco	249,151	82,044	13,146	12,000	12,000	129,962
	Uganda	168,156	37,339	2,000	8,000	28,000	92,817
	Total	1,020,624	339,956	66,177	40,000	132,000	442,491
Component 3	China	945,266	248,365	390,465	21,333	64,000	221,102
	Ecuador	307,749	70,576	5,333	38,667	120,000	73,173
	Morocco	332,642	63,346	8,527	72,491	13,333	174,945
	Uganda	383,770	87,164	2,667	72,492	13,333	208,114
	Total	1,969,427	469,451	406,992	204,983	210,667	677,334
Component 4	China	181,750	49,768	11,411	13,000	35,000	72,570
	Ecuador	121,679	27,079	2,000	12,000	25,000	55,600
	Morocco	137,310	42,190	10,603	12,000	15,000	57,517
	Uganda	96,054	17,031	1,000	10,000	21,000	47,023
	Total	536,793	136,069	25,014	47,000	96,000	232,710
Component 5 Project Management	China	325,539	54,187	16,599	0	0	254,754
	Ecuador	198,400	42,667	0	0	53,333	102,400
	Morocco	250,289	110,924	9,231	0	0	130,133
	Uganda	196,947	38,120	2,667	0	0	156,160
	Global	970,667	0	0	378,667	26,667	565,333
	Total	1,941,841	245,897	28,497	378,667	80,000	1,208,780
PHASE I TOTAL		7,685,493	1,594,102	621,101	1,068,474	990,667	3,411,148

Table 2b: PHASE II: Component Financing in US \$

Components	Partner	PHASE II: Increment	Co-funding				PHASE II: Requested from GEF
			PHASE II: Government		PHASE II: International		
			In-kind	Cash	In-kind	Cash	
Component 1	China	196,445	29,851	17,230	20,000	30,000	99,364
	Ecuador	127,555	25,775	600	22,000	42,000	37,180
	Morocco	111,519	24,958	4,775	27,728	22,000	32,058
	Uganda	118,684	20,099	1,000	29,728	24,000	43,857
	Total	554,202	100,682	23,605	99,456	118,000	212,458
Component 2	China	640,987	255,812	64,067	18,000	36,000	267,109
	Ecuador	263,988	75,048	12,480	12,000	102,000	62,460
	Morocco	373,727	123,065	19,718	18,000	18,000	194,943
	Uganda	252,233	56,008	3,000	12,000	42,000	139,225
	Total	1,530,935	509,933	99,265	60,000	198,000	663,737
Component 3	China	827,107	217,320	341,657	18,667	56,000	193,464
	Ecuador	269,281	61,754	4,667	33,833	105,000	64,027
	Morocco	291,062	55,427	7,461	63,430	11,667	153,077
	Uganda	335,798	76,269	2,333	63,430	11,667	182,099
	Total	1,723,248	410,770	356,118	179,360	184,333	592,667
Component 4	China	727,000	199,074	45,646	52,000	140,000	290,281
	Ecuador	486,716	108,316	8,000	48,000	100,000	222,400
	Morocco	549,240	168,761	42,412	48,000	60,000	230,067
	Uganda	384,217	68,124	4,000	40,000	84,000	188,093
	Total	2,147,173	544,274	100,058	188,000	384,000	930,841
Component 5 Project Management	China	284,847	47,413	14,524	0	0	222,909
	Ecuador	173,600	37,333	0	0	46,667	89,600
	Morocco	219,002	97,058	8,078	0	0	113,867
	Uganda	172,328	33,355	2,333	0	0	136,640
	Global	849,333	0	0	331,333	23,333	494,667
	Total	1,699,111	215,160	24,935	331,333	70,000	1,057,683
PHASE II TOTAL		7,654,669	1,780,820	603,981	858,150	954,333	3,457,386

MONITORING, EVALUATION AND DISSEMINATION

127. The monitoring and evaluation plan (M&E Plan) maps the approach for measuring and verifying that activities and outcomes described in the project logframe and timeline are being met. The M&E Plan follows UNEP guidelines and incorporates UNEP monitoring activities. The full M&E Plan and Tracking Tools are found in Annexes P and Q, respectively.

128. There are four entities with roles to play in the M&E process:

- UNEP will receive from the PMU quarterly progress and financial reports. UNEP will also serve as a member of the International Steering Committee (ISC), make field visits to assess progress and problems (as needed and agreed with the PMU and ISC), and organize independent evaluators for mid-term and final evaluations.
- The PMU will develop a reporting structure for all project partners and ensure that reporting is timely and complete. It will develop all reports for UNEP, and carry out regular site visits with particular attention to sites experiencing difficulties or delays.
- The ISC will review all reports, advise the PMU on resolving difficulties and increasing efficiency, and monitor progress on the capacity-building component.
- The NSCs will review all national reports and offer policy guidance where needed. They will play a key role in facilitating linkages, both in their respective countries and between countries, and will report on both successes and difficulties within the monitoring process.

129. Project monitoring will be carried out at two levels. The first is the execution performance, which monitors efficiency of project management and supervision. Execution performance tracks both programmatic progress and financial accountability. With support from the PMU, UNEP will carry out this level of monitoring. The second is monitoring of project outputs and milestones. This process examines technical execution of the project. It is based on the indicators and means of verifying them that are documented in the project logframe, and on the implementation timeframe set out in the timeline (PB) and the M&E Plan (Annex P). Biannual progress reports will include assessment of all outputs that were to be completed within that specific timeframe. Outputs not completed within the planned timeframe will be noted, the reason for delay assessed, and anticipated date of completion cited for tracking purposes.

130. The Global Project Manager will be responsible for developing biannual progress and quarterly financial reports, with inputs from national management units. These reports will be important monitoring tools, as they will be carefully tracked by both the NSCs and the ISC. These bodies will be responsible for assessing successes, ensuring that effective approaches are replicated to the extent possible, and that difficulties are addressed. When problems arise, members of the NSCs and ISC are expected to help craft solutions and follow the result of their execution.

Participation of all stakeholders is fundamental to this project. Stakeholder participation in the M&E process is also essential to ensure their continued ownership in the project activities. As important is the knowledge the diverse group of stakeholders brings to the process of monitoring and evaluation; they are often best positioned to understand the reasons behind successes and failures. Farmers and other stakeholders will therefore be included on the evaluation team and will be involved in internal project evaluation and annual reviews of project performance. Mid-term and final evaluation will be conducted by independent evaluators contracted by UNEP.

SECTION 3 - WORKPLAN AND TIMETABLE, BUDGET, FOLLOW-UP

3.1 Workplan and Timetable

A detailed Work-Plan is provided in Annex R.

3.2 Budget

A detailed budget in UNEP format is presented in Annex Y. This budget is based upon the GEF approved budget provided in the Full-size Project Brief

3.3 Follow-up

Follow up activities after completion of the project will include the expanded use of the protocols developed for participatory assessment combined with laboratory and field analysis to determine when and where genetic diversity be used to manage pest and disease on farm. This will include recommendations of the use of local crop genetic diversity in national and regional conservation strategies.

The diversity rich practices or options developed for the target crops and used to provide guidance to farmers on using diversity rich options to manage pest and disease will be monitored by local extension services along with other pest and disease management practices. This will include submitting sets of recommendations that provide guidance about substituting diversity rich practices for pesticide use produced in each country to agricultural and environmental development sectors. These practices will continue to be mainstreamed into the national agricultural and environmental ministries and research agencies. Breeding programmes that through the project have increased their use local crop genetic diversity in their resistance/tolerance breeding programmes will continue to identify local crop genetic diversity and practices to increase their efficiency.

The set of methods and tools to estimate the value of crop genetic diversity in reducing yield losses, yield variability, and in mitigating product quality losses from pests and diseases will used to provide policy recommendations to national policy makers. . The project assumes national programme commitment to integrating the use of local landraces into their development and conservation strategies for genetic resources; and the national programme commitment to working with farmers and linking NGOs.

The in-house expertise developed during the project will provide leadership in the four countries in training students and agricultural workers in multidisciplinary studies that link social and natural sciences. Follow up will also included the monitoring of the establishment of permanent “sandwich” degree programmes for students to obtain higher degrees in US universities at greatly reduced costs. The continued collaboration of partner countries with the National Research Center for Agriculture Biodiversity (NRCAB) at the Yunnan Agricultural University, ensures that this training center will continue to be funded after project completion.

With their improved capacity to use crop genetic diversity to manage pest and disease pressures, farmer associations, established in each site in each country, will continue to attract new members to use the new tools learned through the project implementation. The capacity gained through attendance during the project of farmer representatives at local and national conferences will continue to empower local communities in decision-making forum.

The project gives special emphasis to the participation of farmer representation, NGOs, and local institutions, including public schools and local research centres to bridge the gaps between government and non-government stakeholders at local and national levels in each country. These partnerships and collaborative mechanisms established among the different national stakeholders during the project lifetime will continue to function after completion of the project. Farmers will be able to draw on the expertise of

the new local and national in-house capacity, and researchers with their capacity built in participatory approaches will continue to increase their ability to server farmers needs.

Finally, the benefit sharing protocols, which will ensure that the goods and services from the conservation of crop diversity benefit the farmer communities responsible for their production and management will be disseminated to other countries in the region as well as outside the region so that they can be adapted to local conditions of farmer communities globally.

SECTION 4 - INSTITUTIONAL FRAMEWORK AND EVALUATION

4.1 Institutional Framework

IPGRI will be responsible for the implementation of the project in accordance with the objectives and activities outlined in Section 2 of this document. UNEP as the GEF Implementing Agency will be responsible for overall project supervision to ensure consistency with GEF and UNEP policies and procedures, and will provide guidance on linkages with related UNEP and GEF-funded activities. The UNEP/DGEF Co-ordination will monitor implementation of the activities undertaken during the execution of the project and will be responsible for clearance and transmission of financial and progress reports to the Global Environment Facility. UNEP retains responsibility for review and approval of the substantive and technical reports produced in accordance with the schedule of work.

All correspondence regarding substantive and technical matters should be addressed to:

At IPGRI

Dr. Devra I. Jarvis
Senior Scientist
International Plant Genetic Resources Institute
Via dei Tre Denari, 472/a
00057 Maccarese
Rome, Italy
Tel: 39 066118414
Fax: 39 06 61979661
E-mail: d.jarvis@cgiar.org

At UNEP

Officer-in-Charge
Division of Global Environment Facility Coordination
United Nations Environment Programme (UNEP)
P. O. Box 30552 - 00100
Nairobi, Kenya
Fax: (254) 20-762 4686
Phone: (254) 20-762 4042

With a copy to:

Dr. Marieta Sakalian
UNEP/DGEF Programme Management /Liaison Officer, Biodiversity
FAO Headquarters
TCAP Unit , D708
Viale Delle Terme di Caracalla
00153 Rome

Italy

Tel: +39 06 5705 5969

E-mail : Marieta.Sakalian@unep.org or Marieta.Sakalian@fao.org

All correspondence regarding administrative and financial matters should be addressed to:

At IPGRI

Mr. Gerard O'Donoghue
Director of Corporate Services
IPGRI Headquarter
Via dei Tre Denari, 472/a
00057 Maccarese (Fumicino)
Rome, Italy
Tel: (+39) 066118232
Fax: (+39) 066 1979 661
E-mail: g.odonoghue@cgiar.org

With a copy to:

Mr. Paul Harding
Assistant Director General
IPGRI Headquarter
Via dei Tre Denari, 472/a
00057 Maccarese (Fumicino)
Rome, Italy
Tel: (+39) 066118239
Fax: (+39) 066 1979 661
E-mail: p.harding@cgiar.org

At UNEP

Mr. David G. Hastie
Chief, Budget and Financial Management Service (BFMS)
UNON
P.O. Box 30552
Nairobi, Kenya
Tel: (254) 20 7623637
Fax: (254) 20 7623755

With a copy to:

Ms. Sandeep Bhambra
Fund Management Officer,
UNEP /DGEF Co-ordination,
P.O.Box 30552
Nairobi, Kenya
Tel: 254-20-7623347
Fax: 254-20-7623162
Email: Sandeep.Bhambra@unep.org

4.2 Evaluation

UNEP will organize independent evaluations at the completion of Phase I of the project to measure the degree to which the objectives of the project have been achieved.

SECTION 5 - MONITORING AND REPORTING

5.1 Management Reports

5.1.1 Progress Reports

Within 30 days of the end of reporting period, IPGRI will submit to UNEP/DGEF Coordination, using the format given in Annex S, Half-yearly Progress Reports as at 30 June and 31 December.

5.1.2 Terminal Reports

Within 60 days of the completion of the project, IPGRI will submit to UNEP/DGEF Coordination a Terminal Report detailing the activities taken under the project, lessons learned and any recommendations to improve the efficiency of similar activities in the future, using the format provided in Annex V.

5.1.3 Substantive Reports

At the appropriate time, IPGRI will submit to UNEP three copies in draft of any substantive project report(s) and, at the same time, inform UNEP of its plans for publication of that text. Within 30 days of receipt, UNEP will give IPGRI substantive clearance of the manuscript, indicating any suggestions for change and such wording (recognition, disclaimer, etc.) as it would wish to see figure in the preliminary pages or in the introductory texts. It will equally consider the publishing proposal of IPGRI and will make comments thereon as advisable.

It may request IPGRI to consider a joint imprint basis. Should IPGRI be solely responsible for publishing arrangements, UNEP will nevertheless receive 10 free copies of the published work in each of the agreed languages, for its own purposes.

5.2 Financial Reports: All financial reporting to UNEP must be in US Dollars

(i) Details of expenditures will be reported on an activity by activity basis, in line with project budget codes as set out in the project document, as at 31 March, 30 June, 30 September and 31 December using the format given in Annex U. All expenditure accounts will be dispatched to UNEP within 30 days of the end of the three-month period to which they refer, certified by a duly authorized official of IPGRI.

(ii) In addition, the total expenditures incurred during the year ending 31 December, certified by a duly authorised official, should be reported in an opinion by a recognised firm of public accountants, and should be dispatched to UNEP within 180 days, i.e. 30 June. In particular, the auditors should be asked to report whether, in their opinion:

- ◆ Proper books of account have been maintained;
- ◆ All project expenditures are supported by vouchers and adequate documentation;
- ◆ Expenditures have been incurred in accordance with the objectives outlined in the project document.
- ◆ The expenditure reports provide a true and fair view of the financial condition and performance of the project

(iii) Within 180 days of the completion of the project, IPGRI will supply UNEP with a final statement of account in the format as for the quarterly expenditure statements duly signed by authorised official of IPGRI and certified by recognised firm of public accountants.

If requested, IPGRI shall facilitate an audit by the United Nations Board of Auditors and/or the Audit Service of the accounts of the project.

(iv) Any portion of cash advances remaining unspent or uncommitted by IPGRI on completion of the project will be reimbursed to UNEP within one month of the presentation of the final statement of

accounts. In the event that there is any delay in such disbursement, IPGRI will be financially responsible for any adverse movement in the exchange rates.

(v) Within 30 days of the reporting period, IPGRI shall submit to UNEP GEF Coordination, annual co-financing report for the project using the format provided in Annex X showing:

- ◆ Amount of co-financing realized compared to the amount of co-financing committed to at the time of project approval, and
- ◆ Reporting by source and by type:
 - ◆ Sources include the agency's own co-financing, government co-finance (counterpart commitments), and contributions mobilized for the project from other multilateral agencies, bilateral development cooperation agencies, NGOs, the private sector, and beneficiaries.
 - ◆ Types of co-finance. Cash includes grants, loans, credits and equity investments. In-kind resources are required to be:
 - ◆ dedicated uniquely to the GEF project,
 - ◆ valued as the lesser of the cost and the market value of the required inputs they provide for the project, and
 - ◆ monitored with documentation available for any evaluation or project audit.

5.3 Terms and Conditions

5.3.1 Non-Expendable Equipment

IPGRI will maintain records of non-expendable equipment (items costing US\$1500 or more as well as items of attraction such as pocket calculators, cameras, computers, printers, etc.) purchased with UNEP funds (or with Trust Funds or Counter funds administered by UNEP) and will submit, using format in Annex W, an inventory of such equipment to UNEP, once a year, indicating description, serial no., date of purchase, original cost, present condition, location of each item attached to the progress report submitted on 31 December. Within 60 days of completion of the project, IPGRI will submit to UNEP a final inventory of all non-expendable equipment purchased under this project indicating description, serial number, original cost, present condition, location and a proposal for the disposal of the said equipment. Non-expendable equipment purchased with funds administered by UNEP remains the property of UNEP until its disposal is authorised by UNEP, in consultation with IPGRI. IPGRI shall be responsible for any loss or damage to equipment purchased with UNEP administered funds. The proceeds from the sale of equipment, (duly authorised by UNEP) shall be credited to the accounts of UNEP, or of the appropriate trust fund or counterpart funds. A duly authorised official of IPGRI should physically verify the inventory.

5.3.2 Responsibility for Cost Overruns

The GEF approved budget, US\$ 3,411,148 for Phase I of the project cannot be exceeded. Any cost overruns (expenditures in excess of the amount in each budget sub-line) shall be met by the organisation responsible for authorising the expenditure, unless written agreement has been received in advance from UNEP. In cases where UNEP has indicated its agreement to a cost overrun in a budget sub-line to another, a revision to the project document amending the budget will be issued by UNEP.

5.3.3 Cash Advance Requirements

Initial cash advance of US\$ 480,000 will be made upon signature of the project document by both parties and will cover expenditures expected to be incurred by IPGRI during the first three months of the project implementation. Subsequent advances are to be made quarterly, subject to:

- (i) Confirmation by IPGRI, at least two weeks before the payment is due, that the expected rate of expenditure and actual cash position necessitate the payment, including a reasonable amount to cover "lead time" for the next remittance; and
- (ii) The presentation of
 - ◆ A satisfactory financial report showing expenditures incurred for the past quarter, under each project activity.
 - ◆ Timely and satisfactory reports on project implementation

Requests for subsequent cash advances should be made using the standard format provided in Annex T.

5.3.4 Claims by Third Parties against UNEP

IPGRI shall be responsible for dealing with any claims which may be brought by third parties against UNEP and its staff, and shall hold UNEP and its staff non-labile in case of any claims or liabilities resulting from operations carried out by IPGRI or other project partners under this project document, except where it is agreed by IPGRI and UNEP that such claims or liabilities arise from gross negligence or willful misconduct of the staff of UNEP.

5.3.5 Amendments

The Parties to this project document shall approve any modification or change to this project document in writing.